

Colors in table below:

Blue = Crop Definitions

Pink = New or Revised Crop Definitions

Brown/beige = Revised or New Crop Groups

White = Crop Group per 1995 FR Final rule

Crop Groups and Subgroups – Number and Name	Representative Commodities	Commodities
1. ROOT AND TUBER VEGETABLES	Carrot, potato, radish and sugar beet	Arracacha; arrowroot; artichoke, Chinese; artichoke, Jerusalem; beet, garden; beet, sugar; burdock, edible; canna, edible; carrot; cassava, bitter and sweet; celeriac (celery root); chayote (root); chervil, turnip-rooted; chicory; chufa; dasheen (taro); ginger; ginseng; horseradish; leren; parsley, turnip-rooted; parsnip; potato; radish; radish, oriental (daikon); rutabaga; salsify (oyster plant); salsify, black; salsify, Spanish; skirret; sweet potato; tanier (cocoyam); turmeric; turnip; yam bean; yam, true
1A. Root vegetables subgroup	Carrot, radish and sugar beet	Beet, garden; beet, sugar; burdock, edible; carrot; celeriac; chervil, turnip-rooted; chicory; ginseng; horseradish; parsley, turnip-rooted; parsnip; radish; radish, oriental; rutabaga; salsify; salsify, black; salsify, Spanish; skirret; turnip
1B. Root vegetables (except sugar beet) subgroup	Carrot and radish	Beet, garden; burdock, edible; carrot; celeriac; chervil, turnip-rooted; chicory; ginseng; horseradish; parsley, turnip-rooted; parsnip; radish; radish,

		oriental; rutabaga; salsify; salsify, black; salsify, Spanish; skirret; turnip
1C. Tuberous and corm vegetables subgroup	Potato	Arracacha; arrowroot; artichoke, Chinese; artichoke, Jerusalem; canna, edible; cassava, bitter and sweet; chayote (root); chufa; dasheen; ginger; leren; potato; sweet potato; tanier; turmeric; yam bean; yam, true
1D. Tuberous and corm vegetables (except potato) subgroup	Sweet potato	Arracacha; arrowroot; artichoke, Chinese; artichoke, Jerusalem; canna, edible; cassava, bitter and sweet; chayote (root); chufa; dasheen; ginger; leren; sweet potato; tanier; turmeric; yam bean; yam, true
Crop Group 1 Crop Definitions	A	B
	Radish, oriental, roots	<i>Raphanus sativus</i> var. <i>longipinnatus</i> (roots and tops), including Chinese or Japanese radish (both white and red); winter radish, daikon; lobok; lo pak; and other cultivars and/or hybrids of these
	Radish, oriental, tops	<i>Raphanus sativus</i> var. <i>longipinnatus</i> (roots and tops), including Chinese or Japanese radish (both white and red); winter radish, daikon; lobok; lo pak; and other cultivars and/or hybrids of these
	Sweet potato	Sweet potato; yam
2. LEAVES OF ROOT AND TUBER VEGETABLES (HUMAN FOOD	Turnip and garden beet or sugar beet	Beet, garden; beet, sugar; burdock, edible; carrot; cassava, bitter and sweet; celeriac (celery root); chervil, turnip-rooted; chicory; dasheen (taro); parsnip; radish; radish, oriental (daikon); rutabaga; salsify, black;

OR ANIMAL FEED) GROUP		sweet potato; tanier (cocoyam); turnip; yam, true
3-07. BULB VEGETABLE GROUP	Onion, bulb and onion, green	Chive, fresh leaves; chive, Chinese, fresh leaves; daylily, bulb; elegans hosta; fritillaria, bulb; fritillaria, leaves; garlic, bulb; garlic, great- headed, bulb; garlic, serpent, bulb; kurrat; lady's leek; leek; leek, wild; lily, bulb; onion, Beltsville bunching; onion, bulb; onion, Chinese, bulb; onion, fresh; onion, green; onion, macrostem; onion, pearl; onion, potato, bulb; onion, tree, tops; onion, Welsh, tops; shallot, bulb; shallot, fresh leaves; cultivars, varieties, and/or hybrids of these
3-07A. Onion, bulb, subgroup	Onion, bulb	Daylily, bulb; fritillaria, bulb; garlic, bulb; garlic, great-headed, bulb; garlic, serpent, bulb; lily, bulb; onion, bulb; onion, Chinese, bulb; onion, pearl; onion, potato, bulb; shallot, bulb; cultivars, varieties, and/or hybrids of these.
3-07 B. Onion, green, subgroup	Onion, green	Chive, fresh leaves; chive, Chinese, fresh leaves; elegans hosta; fritillaria, leaves; kurrat; lady's leek; leek; leek, wild; onion, Beltsville bunching; onion, fresh; onion, green; onion, macrostem; onion, tree, tops; onion, Welsh, tops; shallot, fresh leaves; cultivars, varieties, and/or hybrids of these.
Crop Group 3-07 Crop Definitions	A	B
	Garlic	Garlic, great headed; garlic; garlic, serpent, bulb
	Onion	Onion, bulb; onion, green; garlic
	Onion, bulb	Onion, bulb; garlic, bulb; garlic, great headed, bulb; garlic, serpent, bulb; onion, Chinese, bulb; onion, pearl; onion, potato, bulb; shallot, bulb

	Onion, green	Onion, green; lady's leek; leek; leek, wild; onion, Beltsville bunching; onion, fresh; onion, tree, tops; onion, Welsh, tops; shallot, fresh leaves
3. BULB VEGETABLE GROUP	Onion, green and onion, dry bulb	Garlic, bulb, garlic, great-headed (elephant); leek; onion, dry bulb and green; onion, Welsh; shallot
4-16. LEAFY VEGETABLE GROUP	Head lettuce, leaf lettuce, mustard greens and spinach	Amaranth, Chinese; amaranth, leafy; arugula; aster, Indian; blackjack; broccoli, Chinese; broccoli raab; cabbage, abyssinian; cabbage, Chinese, bok choy; cabbage, seakale; cat's whiskers; cham-chwi; cham-na-mul; chervil, fresh leaves; chipilin; chrysanthemum, garland; cilantro, fresh leaves; collards; corn salad; cosmos; cress, garden; cress, upland; dandelion, leaves; dang-gwi, leaves; dillweed; dock; dol-nam-mul; ebolo; endive; escarole; fameflower; feather cockscomb; Good King Henry; hanover salad; huauzontle; jute, leaves; kale; lettuce, bitter; lettuce, head; lettuce, leaf; maca, leaves; mizuna; mustard greens; orach; parsley, fresh leaves; plantain, buckhorn; primrose, English; purslane, garden; purslane, winter; radicchio; radish, leaves; rape greens; rocket, wild; shepherd's purse; spinach; spinach, Malabar; spinach, New Zealand; spinach, tanier; Swiss chard; turnip greens; violet, Chinese, leaves; watercress; cultivars, varieties, and hybrids of these commodities
4-16A. Leafy greens subgroup	Head lettuce, leaf lettuce, and spinach	Amaranth, Chinese; amaranth, leafy; aster, Indian; blackjack; cat's whiskers; cham-chwi; cham-na-mul; chervil, fresh leaves; chipilin; chrysanthemum, garland; cilantro, fresh leaves; corn salad; cosmos;

		dandelion, leaves; dang-gwi, leaves; dillweed; dock; dol-nam-mul; ebolo; endive; escarole; fameflower; feather cockscomb; Good King Henry; huauzontle; jute, leaves; lettuce, bitter; lettuce, head; lettuce, leaf; orach; parsley, fresh leaves; plantain, buckhorn; primrose, English; purslane, garden; purslane, winter; radicchio; spinach; spinach, Malabar; spinach, New Zealand; spinach, tanier; Swiss chard; violet, Chinese, leaves; cultivars, varieties, and hybrids of these commodities.
4-16B. Brassica leafy greens subgroup	Mustard greens	Arugula; broccoli, Chinese; broccoli raab; cabbage, abyssinian; cabbage, Chinese, bok choy; cabbage, seakale; collards; cress, garden; cress, upland; hanover salad; kale; maca, leaves; mizuna; mustard greens; radish, leaves; rape greens; rocket, wild; shepherd's purse; turnip greens; watercress; cultivars, varieties, and hybrids of these commodities....
Crop Group 4-16	A	B
Crop Definitions		
	Endive	Endive; escarole
	Lettuce	Lettuce, head; lettuce, leaf
	Lettuce, head	Lettuce, head; crisphead varieties only
	Lettuce, leaf	Lettuce, leaf; cos (romaine), butterhead varieties
	Turnip greens or turnip tops	Broccoli raab (raab, raab salad); hanover salad; turnip greens (turnip tops)
4. LEAFY VEGETABLES (EXCEPT BRASSICA)	Celery, head lettuce, leaf lettuce, and spinach	Amaranth; arugula; cardoon; celery; celery, Chinese; celtuce; chervil; chrysanthemum, edible-leaved; chrysanthemum, garland; corn salad; cress, garden; cress, upland;

VEGETABLES) GROUP		dandelion; dock (sorrel); endive (escarole); fennel, Florence; lettuce, head and leaf; orach; parsley; purslane, garden; purslane, winter; radicchio (red chicory); rhubarb; spinach; spinach, New Zealand; spinach, vine; Swiss chard
4A. Leafy greens subgroup	Head lettuce and leaf lettuce, and spinach	Amaranth; arugula; chervil; chrysanthemum, edible-leaved; chrysanthemum, garland; corn salad; cress, garden; cress, upland; dandelion; dock; endive; lettuce; orach; parsley; purslane, garden; purslane, winter; radicchio (red chicory); spinach; spinach, New Zealand; spinach, vine
4B. Leaf petioles subgroup	Celery	Cardoon; celery; celery, Chinese; celtuce; fennel, Florence; rhubarb; Swiss chard
5-16. BRASSICA HEAD AND STEM VEGETABLE GROUP	Broccoli or cauliflower and cabbage	Broccoli; Brussels sprouts; cabbage; cabbage, Chinese, napa; cauliflower; cultivars, varieties, and hybrids of these commodities.
Crop Group 5-16 Crop Definitions	A	B
	Broccoli (revised 5/3/2016)	Broccoli; Chinese broccoli (gia lon, white flowering broccoli)
	Cabbage	Cabbage; Chinese cabbage (tight-heading varieties only)
5. BRASSICA (COLE) LEAFY VEGETABLES	Broccoli or cauliflower, cabbage, and mustard greens	Broccoli; broccoli, Chinese (gai lon); broccoli raab (rapini); Brussels sprouts; cabbage; cabbage, Chinese (bok choy); cabbage, Chinese (napa); cabbage, Chinese mustard (gai choy); cauliflower; cavalo broccolo; collards; kale; kohlrabi ; mizuna; mustard greens; mustard spinach; rape greens

5A. Head & Stem Brassica subgroup	Broccoli or cauliflower and cabbage	Broccoli; broccoli, Chinese; Brussels sprouts; cabbage; cabbage, Chinese (napa); cabbage, Chinese mustard; cauliflower; cavalo broccolo; kohlrabi
5B. Leafy Brassica greens subgroup	Mustard greens	Broccoli raab; cabbage, Chinese (bok choy); collards; kale; mizuna; mustard greens; mustard spinach; rape greens
6-22. LEGUME VEGETABLE GROUP	Bean (<i>Phaseolus</i> spp. or <i>Vigna</i> spp.; one edible podded cultivar, one succulent shelled cultivar, and one dried seed); Pea (<i>Pisum</i> spp.; one edible podded cultivar, one succulent shelled cultivar, and one dried seed); and Soybean, seed	African yam bean, dry seed; American potato bean, dry seed; Bean (<i>Lupinus</i> spp.), succulent shelled (including, but not limited to Andean lupin, blue lupin, grain lupin, sweet lupin, white lupin, white sweet lupin, and yellow lupin); Bean (<i>Lupinus</i> spp.), dry seed (including, but not limited to Andean lupin, blue lupin, grain lupin, sweet lupin, white lupin, white sweet lupin, and yellow lupin); Bean (<i>Phaseolus</i> spp.), edible podded (including, but not limited to French bean, garden bean, green bean, kidney bean, navy bean, scarlet runner bean, snap bean, and wax bean); Bean (<i>Phaseolus</i> spp.), succulent shelled (including, but not limited to lima bean, scarlet runner bean, and wax bean); Bean (<i>Phaseolus</i> spp.), dry seed (including, but not limited to black bean, cranberry bean, dry bean, field bean, French bean, garden bean, great northern bean, green bean, kidney bean, lima bean, navy bean, pink bean, pinto bean, red bean, scarlet runner bean, tepary bean, and yellow bean); Bean (<i>Vigna</i> spp.), edible podded (including, but not limited to asparagus bean, catjang bean, Chinese longbean, cowpea, moth bean, mung bean, rice bean, urd bean, and yardlong bean); Bean (<i>Vigna</i> spp.), succulent shelled (including, but not limited to blackeyed pea, catjang bean,

		<p>cowpea, crowder pea, moth bean, and southern pea); Bean (<i>Vigna</i> spp.), dry seed (including, but not limited to adzuki bean, asparagus bean, blackeyed pea, catjang bean, Chinese longbean, cowpea, crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean, and yardlong bean); Broad bean (fava bean), succulent shelled; Broad bean (fava bean), dry seed; Chickpea (garbanzo), edible podded; Chickpea (garbanzo), succulent shelled; Chickpea (garbanzo), dry seed; Goa bean, edible podded (asparagus pea and winged bean); Goa bean, succulent shelled (asparagus pea and winged bean); Goa bean, dry seed (asparagus pea and winged bean); Grass pea, edible podded; Grass pea, dry seed; Guar bean, edible podded; Guar bean, dry seed; Horse gram, dry seed; Jackbean, edible podded; Jackbean, succulent shelled; Jackbean, dry seed; Lablab bean (hyacinth bean), edible podded; Lablab bean (hyacinth bean), succulent shelled; Lablab bean (hyacinth bean), dry seed; Lentil, edible podded; Lentil, succulent shelled; Lentil, dry seed; Morama bean, dry seed; Pea (<i>Pisum</i> spp.), edible podded (including, but not limited to dwarf pea, green pea, snap pea, snow pea, and sugar snap pea); Pea (<i>Pisum</i> spp.), succulent shelled (including, but not limited to English pea, garden pea, and green pea); Pea (<i>Pisum</i> spp.), dry seed (including, but not limited to dry pea, field pea, garden pea, yellow pea, wrinkled pea, marrowfat pea, and green pea); Pigeon pea, edible podded; Pigeon pea, succulent shelled; Pigeon</p>
--	--	--

		pea, dry seed; Soybean, seed; Sword bean, edible podded; Sword bean, dry seed; Vegetable soybean, edible podded (edamame); Vegetable soybean, succulent shelled (edamame); Velvetbean, edible podded; Velvetbean, succulent shelled; Velvetbean, dry seed; Winged pea, edible podded; Winged pea, dry seed; cultivars, varieties, and/or hybrids of these commodities.
6-22A. Edible podded bean subgroup	Any cultivar of edible podded bean, <i>Phaseolus</i> spp., or <i>Vigna</i> spp.	Bean (<i>Phaseolus</i> spp.; including, but not limited to French bean, garden bean, green bean, kidney bean, navy bean, scarlet runner bean, snap bean, and wax bean); Bean (<i>Vigna</i> spp.; including, but not limited to asparagus bean, catjang bean, Chinese longbean, cowpea, moth bean, mung bean, rice bean, urd bean, and yardlong bean); goa bean; guar bean; jackbean; lablab bean; vegetable soybean (edamame); sword bean; winged pea, velvetbean; cultivars, varieties, and hybrids of these commodities.
6-22B. Edible podded pea subgroup	Any cultivar of edible podded pea, <i>Pisum</i> spp.	Pea (<i>Pisum</i> spp.; including, but not limited to dwarf pea, green pea, snap pea, snow pea, and sugar snap pea); grass pea; lentil; pigeon pea; chickpea; cultivars, varieties, and hybrids of these commodities.
6-22C. Succulent shelled bean subgroup	Any succulent shelled cultivar of bean, <i>Phaseolus</i> spp., or <i>Vigna</i> spp.	Bean (<i>Phaseolus</i> spp.; including, but not limited to lima bean, scarlet runner bean, and wax bean); Bean (<i>Vigna</i> spp.; including, but not limited to blackeyed pea, catjang bean, cowpea, crowder pea, moth bean, and southern pea); Bean (<i>Lupinus</i> spp.; including, but not limited to Andean lupin, blue lupin, grain lupin, sweet lupin, white lupin, white sweet lupin, and yellow lupin);

		broad bean (fava bean); jackbean; goa bean; lablab bean; vegetable soybean (edamame); velvetbean; cultivars, varieties, and hybrids of these commodities.
6-22D. Succulent shelled pea subgroup	Any succulent shelled cultivar of garden pea, <i>Pisum</i> spp.	Chickpea; lentil; Pea (<i>Pisum</i> spp.; including, but not limited to English pea, garden pea, and green pea); pigeon pea; cultivars, varieties, and hybrids of these commodities.
6-22E. Pulses, dried shelled bean, except soybean, subgroup	Any one dried seed of bean, <i>Phaseolus</i> spp., or <i>Vigna</i> spp.	African yam bean; American potato bean; Bean (<i>Lupinus</i> spp.; including, but not limited to Andean lupin, blue lupin, grain lupin, sweet lupin, white lupin, white sweet lupin, and yellow lupin); Bean (<i>Phaseolus</i> spp.; including, but not limited to black bean, cranberry bean, dry bean, field bean, French bean, garden bean, great northern bean, green bean, kidney bean, lima bean, navy bean, pink bean, pinto bean, red bean, scarlet runner bean, tepary bean, and yellow bean); Bean (<i>Vigna</i> spp.; including, but not limited to adzuki bean, asparagus bean, blackeyed pea, catjang bean, Chinese longbean, cowpea, crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean, and yardlong bean); broad bean (fava bean); guar bean; goa bean; horse gram; jackbean; lablab bean; morama bean; sword bean; winged pea; velvetbean; cultivars, varieties, and hybrids of these commodities.
6-22F. Pulses, dried shelled pea subgroup	Any one dried seed of pea, <i>Pisum</i> spp.	Pea (<i>Pisum</i> spp.; including, but not limited to dry pea, field pea, green pea, yellow pea, wrinkled pea, marrowfat pea, and garden pea); chickpea; grass pea; lentil; pigeon pea; cultivars,

		varieties, and hybrids of these commodities.
Crop Group 6-22 Crop Definitions	A	B
	Bean (revised 9/21/2022)	<p><i>Cicer arietinum</i> (chickpea, garbanzo bean); <i>Lupinus</i> spp. (including, but not limited to, Andean lupin, blue lupin, grain lupin, sweet lupin, white sweet lupin, white lupin, and yellow lupin); <i>Phaseolus</i> spp. (including, but not limited to, black bean, cranberry bean, dry bean, field bean, French bean, garden bean, great northern bean, green bean, kidney bean, lima bean, navy bean, pink bean, pinto bean, red bean, scarlet runner bean, snap bean, tepary bean, yellow bean, and wax bean); Broad bean (fava bean, faba bean); Goa bean (asparagus pea and winged bean); <i>Vigna</i> spp. (including adzuki bean, asparagus bean, blackeyed pea, catjang bean, Chinese longbean, cowpea, crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean, and yardlong bean); Guar bean; Horse gram; Jackbean; Lablab bean (hyacinth bean); Morama bean; African yam bean; American potato bean; Vegetable soybean (edamame); Sword bean; Velvetbean; Winged pea; cultivars, varieties and/or hybrids of these commodities. [Note: A variety of pesticide tolerances have been previously established for pea and/or bean. Chickpea/garbanzo bean is also listed in the definition for “pea”. For garbanzo bean/chickpea only, the highest established pea or bean tolerance will apply to pesticide residues found in the commodity].</p>

	Bean, dry, seed (revised 9/21/2022)	All beans in the entry “Bean” in dry seed form.
	Bean, edible podded (new 9/21/2022)	All beans in the entry “Bean” in edible podded form.
	Bean, succulent (revised 9/21/2022)	All beans in the entry “Bean” in edible podded or succulent shelled form.
	Bean, succulent shelled (new 9/21/2022)	All beans in the entry “Bean” in succulent shelled form.
	Pea (revised 9/21/2022)	<i>Cajanus cajan</i> (pigeon pea); <i>Cicer arietinum</i> (chickpea, garbanzo bean); <i>Lens culinaris</i> (lentil); Grass pea; <i>Pisum</i> spp. (including, but not limited to, dry pea, dwarf pea, English pea, field pea, garden pea, green pea, marrowfat pea, snap pea, snow pea, sugar snap pea, wrinkled pea and yellow pea); cultivars, varieties and/or hybrids of these commodities. [Note: A variety of pesticide tolerances have been previously established for pea and/or bean. Chickpea/garbanzo bean is also list in the definition for “bean”. For garbanzo bean/chickpea only, the highest established pea or bean tolerance will apply to pesticide residues found in this commodity].
	Pea, dry, seed (revised 9/21/2022)	All peas in the entry “Pea” in dry seed form.
	Pea, edible podded (new 9/21/2022)	All peas in the entry “Pea” in edible podded form.
	Pea, succulent (revised 9/21/2022)	All peas in the entry “Pea” in edible podded or succulent shelled form.
	Pea, succulent shelled (new 9/21/2022)	All peas in the entry “Pea” in succulent shelled form.
	Bean	<i>Cicer arietinum</i> (chickpea, garbanzo bean); <i>Lupinus</i> spp. (including sweet lupine, white sweet lupine, white lupine,

		and grain lupine); <i>Phaseolus</i> spp. (including kidney bean, lima bean, mung bean, navy bean, pinto bean, snap bean, and waxbean); <i>Vicia faba</i> (broad bean, fava bean); <i>Vigna</i> spp. (including asparagus bean, blackeyed pea and cowpea)
	Bean, dry	All beans above in dry form only
	Bean, succulent	All beans above in succulent form only
	Pea	<i>Cajanus cajan</i> (includes pigeon pea); <i>Cicer</i> spp. (includes chickpea and garbanzo bean); <i>Lens culinaris</i> (lentil); <i>Pisum</i> spp. (includes dwarf pea, garden pea, green pea, English pea, field pea, and edible-pod pea). [Note: A variety of pesticide tolerances have been previously established for pea and/or bean. Chickpea/garbanzo bean is now classified in both the bean and the pea categories. For garbanzo bean/chickpea only, the highest established pea or bean tolerance will apply to pesticide residues found in this commodity.]
	Pea, dry	All peas in dry form only
	Pea, succulent	All peas in succulent form only
6. LEGUME VEGETABLES (SUCCULENT OR DRIED)	Bean (<i>Phaseolus</i> spp.) (succulent & dried), pea (<i>Pisum</i> spp.) (succulent & dried) and soybean	Bean (<i>Lupinus</i> spp.) (includes grain lupin, sweet lupin, white lupin, and white sweet lupin); bean (<i>Phaseolus</i> spp.) (includes field bean, kidney bean, lima bean, navy bean, pinto bean, runner bean, snap bean, tepary bean, wax bean); bean (<i>Vigna</i> spp.) (includes adzuki bean, asparagus bean, blackeyed pea, catjang, Chinese longbean, cowpea, Crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean, yardlong bean); broad bean (fava bean); chickpea (garbanzo bean); guar;

		jackbean; lablab bean (hyacinth bean); lentil; pea (<i>Pisum</i> spp.) (includes dwarf pea, edible-pod pea, English pea, field pea, garden pea, green pea, snowpea, sugar snap pea); pigeon pea; soybean; soybean (immature seed); sword bean
6A. Edible-podded legume vegetables subgroup	Any one succulent cultivar of edible-podded bean (<i>Phaseolus</i> spp.) and any one succulent cultivar of edible-podded pea (<i>Pisum</i> spp.)	Bean (<i>Phaseolus</i> spp.) (includes runner bean, snap bean, wax bean); bean (<i>Vigna</i> spp.) (includes asparagus bean, Chinese longbean, moth bean, yardlong bean); jackbean; pea (<i>Pisum</i> spp.) (includes dwarf pea, edible-pod pea, snow pea, sugar snap pea); pigeon pea; soybean (immature seed); sword bean
6B. Succulent shelled pea and bean subgroup	Any succulent shelled cultivar of bean (<i>Phaseolus</i> spp.) and garden pea (<i>Pisum</i> spp.)	Bean (<i>Phaseolus</i> spp.) (includes lima bean (green)); broad bean (succulent); bean (<i>Vigna</i> spp.) (includes blackeyed pea, cowpea, southern pea); pea (<i>Pisum</i> spp.) (includes English pea, garden pea, green pea); pigeon pea
6C. Dried shelled pea and bean (except soybean) subgroup	Any one dried cultivar of bean (<i>Phaseolus</i> spp.) and any one dried cultivar of pea (<i>Pisum</i> spp.)	Dried cultivars of bean (<i>Lupinus</i> spp.) (includes grain lupin, sweet lupin, white lupin, and white sweet lupin); (<i>Phaseolus</i> spp.) (includes field bean, kidney bean, lima bean (dry), navy bean, pinto bean, tepary bean); bean (<i>Vigna</i> spp.) (includes adzuki bean, blackeyed pea, catjang, cowpea, Crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean); broad bean (dry); chickpea; guar; lablab bean; lentil; pea (<i>Pisum</i> spp.) (includes field pea); pigeon pea
7-22. FORAGE AND HAY OF LEGUME VEGETABLE GROUP	Any cultivar of bean (<i>Phaseolus</i> spp. or cowpea (<i>Vigna unguiculata</i> (L.) Walp)); field pea (<i>Pisum sativum</i> L.	Plant parts of any legume vegetable listed in Crop Group 6-22 that will be used as animal feed.

	subsp. <i>sativum</i> var. <i>arvense</i> (L.) Poir.); and soybean (<i>Glycine max</i> (L.) Merr.)	
7-22A. Forage and hay of legume vegetables (except soybeans) subgroup	Any cultivar of bean (<i>Phaseolus</i> spp. or cowpea (<i>Vigna unguiculata</i> (L.) Walp)); field pea (<i>Pisum sativum</i> L. subsp. <i>sativum</i> var. <i>arvense</i> (L.) Poir.)	Plant parts of any legume vegetable listed in Crop Group 6-22 (except soybeans) that will be used as animal feed.
7. FOLIAGE OF LEGUME VEGETABLES	Any cultivar of bean (<i>Phaseolus</i> spp.) field pea (<i>Pisum</i> spp.), and soybean (<i>Glycine max</i>)	Plant parts of any legume vegetable included in the legume vegetables group that will be used as animal feed
7A. Foliage of legume vegetables (except soybeans) subgroup	Any cultivar of bean (<i>Phaseolus</i> spp.) and field pea (<i>Pisum</i> spp.)	Plant parts of any legume vegetable (except soybeans) included in the legume vegetables group that will be used as animal feed.
8-10. FRUITING VEGETABLE GROUP	Tomato, standard size and one cultivar of small tomato; bell pepper and one cultivar of small non-bell pepper	African eggplant; bush tomato; bell pepper; cocona; currant tomato; eggplant; garden huckleberry; goji berry; groundcherry; Martynia; naranjilla; okra; pea eggplant; pepino; non-bell pepper; roselle; scarlet eggplant; sunberry; tomatillo; tomato; tree tomato; cultivars, varieties, and/or hybrids of these
8-10A. Tomato subgroup	Tomato, standard size, and one cultivar of small tomato	Bush tomato; cocona; currant tomato; garden huckleberry; goji berry; groundcherry; naranjilla; sunberry; tomatillo; tomato; tree tomato; cultivars, varieties, and/or hybrids of these.

8-10B. Pepper/Eggplant subgroup	Bell pepper and one cultivar of small non-bell pepper	African eggplant; bell pepper; eggplant; Martynia; nonbell pepper; okra; pea eggplant; pepino; roselle; scarlet eggplant; cultivars, varieties, and/or hybrids of these.
8-10C. Non-bell pepper/Eggplant subgroup	One cultivar of small non-bell pepper or one cultivar of small eggplant	African eggplant; eggplant; Martynia; nonbell pepper; okra; pea eggplant; pepino; roselle; scarlet eggplant ; cultivars, varieties, and/or hybrids of these.
Crop Group 8-10 Crop Definitions	A	B
	Pepper	All varieties of pepper including pimento and bell, hot, and sweet pepper
	Tomato	Tomato; tomatillo
8. FRUITING VEGETABLES (EXCEPT CUCURBITS)	Tomato, bell pepper and one cultivar of non-bell pepper	Eggplant; groundcherry (<i>Physalis</i> spp); pepino; pepper (includes bell pepper, chili pepper, cooking pepper, pimento, sweet pepper); tomatillo; tomato
9. CUCURBIT VEGETABLES	Cucumber, muskmelon and summer squash	Chayote (fruit); Chinese waxgourd (Chinese preserving melon); citron melon; cucumber; gherkin; gourd, edible (includes hyotan, cucuzza, hechima, Chinese okra); <i>Momordica</i> spp (includes balsam apple, balsam pear, bittermelon, Chinese cucumber); muskmelon (includes true cantaloupe, cantaloupe, casaba, crenshaw melon, golden pershaw melon, honeydew melon, honey balls, mango melon, Persian melon, pineapple melon, Santa Claus melon and snake melon); pumpkin; squash, summer (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow, zucchini); squash, winter (includes butternut squash, calabaza, hubbard squash, acorn squash, spaghetti squash); watermelon

9A. Melon subgroup	Cantaloupe	Citron melon; muskmelon (includes cantaloupe); watermelon
9B. Squash/Cucumber subgroup	One cultivar of summer squash and cucumber	Chayote (fruit); Chinese waxgourd; cucumber; gherkin; gourd, edible; <i>Momordica</i> spp; pumpkin; squash, summer; squash, winter.
Crop Group 9 Crop Definitions	A	B
	Melon	Muskmelon, including hybrids and/or varieties of <i>Cucumis melo</i> (includes true cantaloupe, cantaloupe, casaba, Santa Claus melon, crentshaw melon, honeydew melon, honey balls, Persian melon, golden pershaw melon, mango melon, pineapple melon, snake melon); and watermelon, including hybrids and/or varieties of (<i>Citrullus</i> spp.)
	Muskmelon	<i>Cucumis melo</i> (includes true cantaloupe, cantaloupe, casaba, Santa Claus melon, crentshaw melon, honeydew melon, honey balls, Persian melon, golden pershaw melon, mango melon, pineapple melon, snake melon, and other varieties and/or hybrids of these.)
	Squash	Pumpkin, summer squash and winter squash
	Squash, summer	Fruits of the gourd (<i>Cucurbitaceae</i>) family that are consumed when immature, 100% of the fruit is edible either cooked or raw, once picked it cannot be stored, has a soft rind which is easily penetrated, and if seeds were harvested they would not germinate; e.g., <i>Cucurbita pepo</i> (i.e., crookneck squash, straightneck squash, scallop squash, and vegetable marrow); <i>Lagenaria</i> spp. (i.e., spaghetti squash, hyotan, cucuzza); <i>Luffa</i> spp. (i.e., hechima, Chinese

		okra); <i>Momordica</i> spp. (i.e., bitter melon, balsam pear, balsam apple, Chinese cucumber); <i>Sechium edule</i> (chayote); and other cultivars and/or hybrids of these
10-10. CITRUS FRUIT GROUP	Orange or tangerine/mandarin, lemon or lime and grapefruit	Australian desert lime; Australian finger-lime; Australian round lime; Brown River finger lime; calamondin; citron; citrus hybrids; grapefruit; Japanese summer grapefruit; kumquat; lemon; lime; Mediterranean mandarin; mount white lime; New Guinea wild lime; orange, sour; orange, sweet; pummelo; Russell River lime; satsuma mandarin; sweet lime; tachibana orange; Tahiti lime; tangelo; tangerine (mandarin); tangor; trifoliate orange; uniq fruit; cultivars, varieties, and/or hybrids of these
10-10A. Orange subgroup	Orange or tangerine/mandarin	Calamondin; citron; citrus hybrids; Mediterranean mandarin; orange, sour; orange, sweet; satsuma mandarin; tachibana orange; tangerine (mandarin); tangelo; tangor; trifoliate orange; cultivars, varieties, and/or hybrids of these.
10-10B. Lemon/Lime subgroup	Lemon or lime	Australian desert lime; Australian finger lime; Australian round lime; brown river finger lime; kumquat; lemon; lime; mount white lime; New Guinea wild lime; Russell River lime; sweet lime; Tahiti lime; cultivars, varieties, and/or hybrids of these.
10-10C. Grapefruit subgroup	Grapefruit	Grapefruit; Japanese summer grapefruit; pummelo; tangelo; uniq fruit; cultivars, varieties, and/or hybrids of these.
Crop Group 10-10 Crop Definitions	A	B

	Tangerine (revised 12/8/2010)	Tangerine (mandarin or mandarin orange), clementine, Mediterranean mandarin, satsuma mandarin, tangelo, tangor, cultivars, varieties and or hybrids of these
	Fruit, citrus	Grapefruit, lemon, lime, orange, tangelo, tangerine, citrus citron, kumquat, and hybrids of these
	Tangerine	Tangerine (mandarin or mandarin orange), tangelo, tangor, and other hybrids of tangerine with other citrus
10. CITRUS FRUITS	Sweet orange, lemon and grapefruit	Calamondin; citrus citron; citrus hybrids (includes chironja, tangelo, tangor); grapefruit; kumquat; lemon; lime; mandarin (tangerine); orange, sour; orange, sweet; pummelo; Satsuma mandarin
11-10. POME FRUIT GROUP	Apple and pear	Apple; azarole; crabapple; loquat; mayhaw; medlar; pear; pear, Asian; quince; quince, Chinese; quince, Japanese; tejocote; cultivars, varieties, and/or hybrids of these.
11. POME FRUITS	Apple and pear	Apple; crabapple; loquat; mayhaw; pear; pear, oriental; quince
12-12. STONE FRUIT GROUP	Sweet cherry or Tart cherry, Peach and Plum or Prune plum	Apricot; apricot, Japanese; capulin; cherry, black; cherry, Nanking; cherry, sweet; cherry, tart; Jujube, Chinese; nectarine; peach; plum; plum, American; plum, beach; plum, Canada; plum, cherry; plum, Chickasaw; plum, Damson; plum, Japanese; plum, Klamath; plum, prune; plumcot; sloe; cultivars, varieties, and/or hybrids of these
12-12A. Cherry subgroup	Cherry, sweet or Cherry, tart	Capulin; cherry, black; cherry, Nanking; cherry, sweet; cherry, tart; cultivars, varieties, and/or hybrids of these.

12-12B. Peach subgroup	Peach	Nectarine; peach; cultivars, varieties, and/or hybrids of these.
12-12C. Plum subgroup	Plum, or Prune plum	Apricot; apricot, Japanese; Jujube, Chinese; plum; plum, American; plum, beach; plum, Canada; plum, cherry; plum, Chickasaw; plum, Damson; plum, Japanese; plum, Klamath; plum, prune; plumcot; sloe; cultivars, varieties, and/or hybrids of these.
Crop Group 12-12 Crop Definitions	A	B
	Cherry	Cherry, sweet and cherry, tart
	Peach	Peach, nectarine
12. STONE FRUITS	Sweet or tart cherry, peach and plum or fresh prune	Apricot; cherry, sweet; cherry, tart; nectarine; peach; plum; plum, Chickasaw; plum, Damson; plum, Japanese; plumcot; prune (fresh)
13-07. BERRY AND SMALL FRUIT	Any one blackberry or any one raspberry, highbush blueberry, elderberry or mulberry, grape, fuzzy kiwifruit and strawberry	Amur river grape; aronia berry; bayberry; bearberry; bilberry; blackberry (including Andean blackberry, arctic blackberry, bingleberry, black satin berry, boysenberry, brombeere, California blackberry, Chesterberry, Cherokee blackberry, Cheyenne blackberry, common blackberry, coryberry, darrowberry, dewberry, Dirksen thornless berry, evergreen blackberry, Himalayaberry, hullberry, lavacaberry, loganberry, lowberry, Lucretiaberry, mammoth blackberry, marionberry, mora, mures deronce, nectarberry, Northern dewberry, olallieberry, Orgeon evergreen berry, phenomenalberry, rangeberry, ravenberry, rossberry, Shawnee blackberry, Southern dewberry, tayberry, youngberry, zarzamora, and cultivars, varieties and/or hybrids of these); blueberry, highbush; blueberry,

		lowbush; buffalo currant; buffaloberry; che; Chilean guava; chokecherry; cloudberry; cranberry; cranberry, highbush; currant, black; currant, red; elderberry; European barberry; gooseberry; grape; honeysuckle, edible; huckleberry; jostaberry; Juneberry (Saskatoon berry); kiwifruit, fuzzy; kiwifruit, hardy; lingonberry; maypop; mountain pepper berries; mulberry; muntries; native currant; partridgeberry; phalsa; pincherry; raspberry, black and red; riberry; salal; schisandra berry; sea buckthorn; serviceberry; strawberry; wild raspberry; cultivars, varieties, and/or hybrids of these.
13-07A. Caneberry subgroup	Any one blackberry or any one raspberry	Blackberry; loganberry; raspberry, black and red; wild raspberry; cultivars, varieties, and/or hybrids of these.
13-07B. Bushberry subgroup	Blueberry, highbush	Aronia berry; blueberry, highbush; blueberry, lowbush; buffalo currant; Chilean guava; cranberry, highbush; currant, black; currant, red; elderberry; European barberry; gooseberry; honeysuckle, edible; huckleberry; jostaberry; Juneberry (Saskatoon berry); lingonberry; native currant; salal; sea buckthorn; cultivars, varieties, and/or hybrids of these.
13-07C. Large shrub/tree berry subgroup	Elderberry or mulberry	Bayberry; buffaloberry; che; chokecherry; elderberry; Juneberry (Saskatoon berry); mountain pepper berries; mulberry; phalsa; pincherry; riberry; salal; serviceberry; cultivars, varieties, and/or hybrids of these.
13-07D. Small fruit vine	Grape and fuzzy kiwifruit	Amur river grape; gooseberry; grape; kiwifruit, fuzzy; kiwifruit, hardy;

climbing subgroup		Maypop; schisandra berry; cultivars, varieties, and/or hybrids of these.
13-07E. Small fruit vine climbing subgroup, except grape	Fuzzy kiwifruit	Amur river grape; gooseberry; kiwifruit, fuzzy; kiwifruit, hardy; Maypop; schisandra berry; cultivars, varieties, and/or hybrids of these.
13-07F. Small fruit vine climbing subgroup, except fuzzy kiwifruit	Grape	Amur river grape; gooseberry; grape; kiwifruit, hardy; Maypop; schisandra berry; cultivars, varieties, and/or hybrids of these.
13-07G. Low growing berry subgroup	Strawberry	Bearberry; bilberry; blueberry, lowbush; cloudberry; cranberry; lingonberry; muntries; partridgeberry; strawberry; cultivars, varieties, and/or hybrids of these.
13-07H. Low growing berry subgroup, except strawberry	Cranberry	Bearberry; bilberry; blueberry, lowbush; cloudberry; cranberry; lingonberry; muntries; partridgeberry; cultivars, varieties, and/or hybrids of these.
Crop Group 13-07 Crop Definitions	A	B
	Blackberry	<i>Rubus eubatus</i> (including bingleberry, black satin berry, boysenberry, Cherokee blackberry, Chesterberry, Cheyenne blackberry, coryberry, darrowberry, dewberry, Dirksen thornless berry, Himalayaberry, hullberry, Lavacaberry, lowberry, Lucretiaberry, mammoth blackberry, marionberry, nectarberry, olallieberry, Oregon evergreen berry, phenomenalberry, rangerberry, ravenberry, rossberry, Shawnee blackberry, and varieties and/or hybrids of these)

	Caneberry	<i>Rubus</i> spp. (including blackberry); <i>Rubus caesius</i> (youngberry); <i>Rubus loganbaccus</i> (loganberry); <i>Rubus idaeus</i> (red and black raspberry); cultivars, varieties, and/or hybrids of these
	Raspberry	<i>Rubus</i> spp. (including bababerry; black raspberry; blackcap; caneberry; framboise; frambueso; himbeere; keriberry; mayberry; red raspberry; thimbleberry; tulameen; yellow raspberry; and cultivars, varieties, and/or hybrids of these)
13. BERRIES	Any one blackberry or any one raspberry and blueberry	Blackberry (including bingleberry, black satin berry, boysenberry, Cherokee blackberry, Chesterberry, Cheyenne blackberry, coryberry, darrowberry, dewberry, Dirksen thornless berry, Himalayaberry, hullberry, Lavacaberry, lowberry, Lucretiaberry, mammoth blackberry, marionberry, nectarberry, olallieberry, Oregon evergreen berry, phenomenalberry, rangeberry, ravenberry, rossberry, Shawnee blackberry, youngberry, and varieties and/or hybrids of these); blueberry; currant; elderberry; gooseberry; huckleberry; loganberry; raspberry, black and red
13A. Caneberry (blackberry and raspberry) subgroup	Any one blackberry or any one raspberry	Blackberry; loganberry; red and black raspberry; cultivars and/or hybrids of these.
13B. Bushberry subgroup	Blueberry, highbush	Blueberry, highbush and lowbush; currant; elderberry; gooseberry; huckleberry.

14-12. TREE NUT GROUP	Almond and pecan	African nut-tree; almond; beechnut; Brazil nut; Brazilian pine; bunya; bur oak; butternut; Cajou nut; candlenut; cashew; chestnut; chinquapin; coconut; coquito nut; dika nut; ginkgo; Guiana chestnut; hazelnut (filbert); heartnut; hickory nut; Japanese horse-chestnut; macadamia nut; mongongo nut; monkey-pot; monkey puzzle nut; Okari nut; Pachira nut; peach palm nut; pecan; pequi; Pili nut; pine nut; pistachio; Sapucaia nut; tropical almond; walnut, black; walnut, English; yellowhorn; cultivars, varieties, and/or hybrids of these.
14.TREE NUTS	Almond and pecan	Almond; beechnut; Brazil nut; butternut; cashew; chestnut; chinquapin; filbert (hazelnut); hickory nut; macadamia nut (bush nut); pecan; walnut, black and English
15-22. CEREAL GRAIN GROUP	Wheat, barley, field corn, sweet corn, rice and either grain sorghum or proso millet	Amaranth, grain; amaranth, purple; baby corn; barley; buckwheat; buckwheat, tartary; canarygrass, annual; Cañihua; chia; corn, field; corn, sweet; cram cram; fonio, black; fonio, white; grain sorghum; huauzontle grain; Inca wheat; Job's tears; millet, barnyard; millet, finger; millet, foxtail; millet, little; millet, pearl; millet, proso; oat; oat, Abyssinian; oat, common; oat, naked; oat, sand; popcorn; prince's feather; psyllium; psyllium, blond; quinoa; rice; rice, African; rye; teff; teosinte; triticale; wheat; wheat, club; wheat, common; wheat, durum; wheat, einkorn; wheat, emmer; wheat, macha; wheat, oriental; wheat, Persian; wheat, Polish; wheat, poulard; wheat, shot; wheat, spelt; wheat, timopheevi; wheat, vavilovi; wheat, wild einkorn; wheat,

		wild emmer; wheatgrass, intermediate; wild rice; wild rice, eastern; cultivars, varieties, and hybrids of these commodities.
15-22A. Wheat subgroup	Wheat	Amaranth, grain; amaranth, purple; Cañihua; chia; cram cram; huauzontle grain; Inca wheat; prince's feather; psyllium; psyllium, blond; quinoa; rye; triticale; wheat; wheat, club; wheat, common; wheat, durum; wheat, einkorn; wheat, emmer; wheat, macha; wheat, oriental; wheat, Persian; wheat, Polish; wheat, poulard; wheat, shot; wheat, spelt; wheat, timopheevi; wheat, vavilovi; wheat, wild einkorn; wheat, wild emmer; wheatgrass, intermediate; cultivars, varieties, and hybrids of these commodities.
15-22B. Barley subgroup	Barley	Barley; buckwheat; buckwheat, tartary; canarygrass, annual; oat; oat, Abyssinian; oat, common; oat, naked; oat, sand; cultivars, varieties, and hybrids of these commodities.
15-22C. Field corn subgroup	Field corn	Corn, field; popcorn; teosinte; cultivars, varieties, and hybrids of these commodities.
15-22D. Sweet corn subgroup	Sweet corn	Baby corn; corn, sweet; cultivars, varieties, and hybrids of these commodities.
15-22E. Grain sorghum and millet subgroup	Grain sorghum or Proso millet	Fonio, black; fonio, white; grain sorghum; Job's tears; millet, barnyard; millet, finger; millet, foxtail; millet, little; millet, pearl; millet, proso; teff; cultivars, varieties, and hybrids of these commodities.
15-22F. Rice subgroup	Rice	Rice; rice, African; wild rice; wild rice, eastern; cultivars, varieties, and hybrids of these commodities.
15. CEREAL GRAINS	Corn (fresh sweet corn and dried field	Barley; buckwheat; corn; millet, pearl; millet, proso; oats; popcorn; rice; rye;

	corn), rice, sorghum, and wheat	sorghum (milo); teosinte; triticale; wheat; wild rice
Crop Group 15 Crop Definitions	A	B
	Sorghum, grain, grain	<i>Sorghum</i> spp. (sorghum, grain, sudangrass (seed crop), and hybrids of these grown for its seed)
	Wheat	Wheat, triticale
16-22. FORAGE, HAY, STOVER, AND STRAW OF CEREAL GRAIN GROUP	Corn, wheat, and any other cereal grain crop	Includes the forage, hay, stover and straw of the commodities in Crop Group 15-22, including cultivars, varieties and/or hybrids of these commodities.
16. FORAGE, FODDER AND STRAW OF CEREAL GRAINS	Corn, wheat and any other cereal grain crop	Forage, fodder and straw of all commodities included in the cereal grains group
Crop Group 16 Crop Definition	A	B
	Sorghum, forage, stover	<i>Sorghum</i> spp. (sorghum, forage; sorghum, stover; sudangrass and hybrids of these grown for forage and/or stover)
17. GRASS FORAGE, FODDER, AND HAY GROUP	Bermuda grass, bluegrass and brome grass or fescue	Forage, fodder, stover, and hay of any grass, Gramineae/Poaceae family (either green or cured) except sugarcane and those included in the cereal grains group, that will be fed to or grazed by livestock, all pasture and range grasses and grasses grown for hay or silage.
18. NONGRASS ANIMAL FEEDS (FORAGE, FODDER, STRAW AND HAY)	Alfalfa and clover (<i>Trifolium</i> spp.)	Alfalfa; bean, velvet; clover (<i>Trifolium</i> spp., <i>Melilotus</i> spp.); kudzu; lespedeza; lupin; sainfoin; trefoil; vetch; vetch, crown; vetch, milk

Crop Group 18 Crop Definition	A	B
	Alfalfa	<i>Medicago sativa</i> L. <i>sativa</i> , (alfalfa, lucerne); <i>Onobrychio viciifolia</i> Scop. (sainfoin, holy clover, esparcet); and <i>Lotus corniculatus</i> L. (trefoil); and varieties and/or hybrids of these
NEW HERBS & SPICES CROP GROUPS	**Codified in the FR on 11/6/20 as Crop Groups 25 and 26**	**Find these two NEW groups, Rep crops, all commodities and revised/new crop definitions after Crop Group 24 in this table**
19. HERBS AND SPICES	Basil (fresh & dried), black pepper, chive and celery seed or dill seed	Allspice; angelica; anise (seed); anise, star; annatto (seed); balm (lemon balm); basil; borage; burnet; camomile; caper buds; caraway; caraway, black; cardamom; cassia bark; cassia buds; catnip; celery seed; chervil (dried); chive; chive, Chinese; cinnamon; clary; clove buds; coriander leaf (cilantro or Chinese parsley); coriander seed (cilantro); costmary; culantro (leaf); culantro (seed); cumin; curry (leaf); dill (dillweed); dill (seed); fennel (common); fennel, Florence (seed); fenugreek; grains of paradise; horehound; hyssop; juniper berry; lavender; lemongrass; lovage (leaf); lovage (seed); mace; marigold; marjoram (includes sweet or annual marjoram, wild marjoram or oregano, and pot marjoram); mustard (seed); nasturtium; nutmeg; parsley (dried); pennyroyal; pepper, black; pepper, white; poppy (seed); rosemary; rue; saffron; sage; savory, summer and winter; sweet bay; tansy; tarragon; thyme; vanilla; wintergreen; woodruff; wormwood
19A. Herb subgroup	Basil (fresh & dried) and chive	Angelica; balm; basil; borage; burnet; camomile; catnip; chervil (dried);

		chive; chive, Chinese; clary; coriander leaf (cilantro or Chinese parsley); costmary; culantro (leaf); curry (leaf); dillweed; horehound; hyssop; lavender; lemongrass; lovage (leaf); marigold; marjoram (includes sweet or annual marjoram, wild marjoram or oregano, and pot marjoram); nasturtium; parsley (dried); pennyroyal; rosemary; rue; sage; savory, summer and winter; sweet bay; tansy; tarragon; thyme; wintergreen; woodruff; and wormwood.
19B. Spice subgroup	Black pepper; and celery seed or dill seed	Allspice; anise (seed); anise, star; annatto (seed); caper (buds); caraway; caraway, black; cardamom; cassia buds; celery (seed); cinnamon; clove (buds); coriander (seed); culantro (seed); cumin; dill (seed); fennel, common; fennel, Florence (seed); fenugreek; grains of paradise; juniper (berry); lovage (seed); mace; mustard (seed); nutmeg; pepper, black; pepper, white; poppy (seed); saffron; and vanilla
Crop Group 19 Crop Definition	A	B
	Marjoram	<i>Origanum</i> spp. (includes sweet or annual marjoram, wild marjoram or oregano and pot marjoram)
20. OILSEED GROUP	Rapeseed (canola varieties only); sunflower, seed; and cottonseed	Borage; calendula; castor oil plant; Chinese tallowtree; cottonseed; crambe; cuphea; echium; euphorbia; evening primrose; flax seed; gold of pleasure; hare's ear mustard; jojoba; lesquerella; lunaria; meadowfoam; milkweed; mustard seed; niger seed; oil radish; poppy seed; rapeseed; rose hip; safflower; sesame; stokes aster; sunflower; sweet rocket; tallowwood;

		tea oil plant; vernonia; cultivars, varieties, and/or hybrids of these
20A. Rapeseed subgroup	Rapeseed, canola varieties only	Borage; crambe; cuphea; echium; flax seed; gold of pleasure; hare's ear mustard; lesquerella; lunaria; meadowfoam; milkweed; mustard seed; oil radish; poppy seed; rapeseed; sesame; sweet rocket; cultivars, varieties, and/or hybrids of these.
20B. Sunflower subgroup	Sunflower, seed	Calendula; castor oil plant; Chinese tallowtree; euphorbia; evening primrose; jojoba; niger seed; rose hip; safflower; stokes aster; sunflower; tallowwood; tea oil plant; vernonia; cultivars, varieties, and/or hybrids of these.
20C. Cottonseed subgroup	Cottonseed	Cottonseed; cultivars, varieties, and/or hybrids of these.
Crop Group 20 Crop Definition	A	B
	Rapeseed	<i>Brassica napus</i> , <i>B. campestris</i> , and <i>Crambe abyssinica</i> (oilseed-producing varieties only which include canola and crambe)
21. EDIBLE FUNGI	White button mushroom and any one oyster mushroom or any Shiitake mushroom	Blewitt; bunashimeji; Chinese mushroom; enoki; hime-matsutake; hirameola; maitake; morel; nameko; net bearing; oyster mushroom; pom pom; reishi mushroom; Rodman's agaricus; Shiitake mushroom, shimeji; stropharia; truffle; white button mushroom; white jelly fungi
22. STALK, STEM AND LEAF PETIOLE VEGETABLE GROUP	Asparagus and celery	Agave; aloe vera; asparagus; bamboo, shoots; cardoon; celery; celery, Chinese; celtuce; fennel, Florence, fresh leaves and stalk; fern, edible, fiddlehead; fuki; kale, sea; kohlrabi; palm hearts; prickly pear, pads; prickly

		pear, Texas, pads; rhubarb; udo; zuiki; cultivars, varieties, and hybrids of these commodities.
22A. Stalk and stem vegetable subgroup	Asparagus	Agave; aloe vera; asparagus; bamboo, shoots; celtuce; fennel, Florence, fresh leaves and stalk; fern, edible, fiddlehead; kale, sea; kohlrabi; palm hearts; prickly pear, pads; prickly pear, Texas, pads; cultivars, varieties, and hybrids of these commodities.
22B. Leaf petiole vegetable subgroup	Celery	Cardoon; celery; celery, Chinese; fuki; rhubarb; udo; zuiki; cultivars, varieties, and hybrids of these commodities.
Crop Group 22 Crop Definitions	A	B
	Fern, edible (new 5/3/2016)	Fern, edible, fiddlehead including: Black lady fern; Bracken fern; Broad buckler fern; Cinnamon fern; Lady fern; Leather fern; Mother fern; Ostrich fern; Vegetable fern; Zenmai fern
	Palm hearts (new 5/3/2016)	Palm hearts, various species including: African fan palm; Cabbage palm; Cabbage palmetto; Coconut; Palmyra palm; Peach palm; Royal palm; Salak palm; Saw palmetto; Wine palm
	Celery	Celery, Florence fennel (sweet anise, sweet fennel, finocchio) (fresh leaves and stalks only)
23. TROPICAL AND SUBTROPICAL FRUIT, EDIBLE PEEL GROUP	Date, fig, guava and olive	Acai; acerola; achachairu; African plum; agritos; almondetta; ambarella; apak palm; appleberry; araza; arbutus berry; babaco; bacaba palm; bacaba-de-leque; bayberry, red; bignay; bilimbi; borojo; breadnut; cabeluda; cajou, fruit; cambuca; carandas-plum; carob; cashew apple; Ceylon iron wood; Ceylon olive; cherry-of-the-Rio-

		<p>Grande; Chinese olive, black; Chinese olive, white; chirauli-nut; ciruela verde; cocoplum; date; Davidson's plum; desert-date; doum palm coconut; false sandalwood; feijoa; fig; fragrant manjack; gooseberry, abyssinian; gooseberry, Ceylon; gooseberry, Indian; gooseberry, otaheite; governor's plum; grumichama; guabiroba; guava; guava berry; guava, Brazilian; guava, cattley; guava, Costa Rican; guava, Para; guava, purple strawberry; guava, strawberry; guava, yellow strawberry; guayabillo; illawarra plum; imbe; imbu; Indian-plum; jaboticaba; Jamaica-cherry; jambolan; jelly palm; jujube, Indian; kaffir-plum; kakadu plum; kapundung; karanda; kwai muk; lemon aspen; mangaba; Marian plum; mombin, Malayan; mombin, purple; mombin, yellow; monkeyfruit; monos plum; mountain cherry; nance; natal plum; noni; olive; papaya, mountain; pataua; peach palm, fruit; persimmon, black; persimmon, Japanese; pitomba; plum-of-Martinique; pomerac; rambai; rose apple; rukam; rumberry; sea grape; sentul; sete-capotes; silver aspen; starfruit; Surinam cherry; tamarind; uvalha; water apple; water pear; water berry; wax jambu; cultivars, varieties, and hybrids of these commodities</p>
23A. Tropical and Subtropical, Small fruit, edible peel subgroup	Olive	<p>Acerola; African plum; agritos; almondetta; appleberry; arbutus berry; bayberry, red; bignay; breadnut; cabeluda; carandas-plum; Ceylon iron wood; Ceylon olive; cherry-of-the-Rio-Grande; Chinese olive, black; Chinese olive, white; chirauli-nut; cocoplum;</p>

		<p>desert-date; false sandalwood; fragrant manjack; gooseberry, abyssinian; gooseberry, Ceylon; gooseberry, otaheite; governor's plum; grumichama; guabiroba; guava berry; guava, Brazilian; guava, Costa Rican; guayabillo; illawarra plum; Indian-plum; Jamaica-cherry; jambolan; kaffir-plum; kakadu plum; kapundung; karanda; lemon aspen; mombin, yellow; monos plum; mountain cherry; olive; persimmon, black; pitomba; plum-of-Martinique; rukam; rumberry; sea grape; sete-capotes; silver aspen; water apple; water pear; water berry; wax jambu; cultivars, varieties, and hybrids of these commodities.</p>
<p>23B. Tropical and Subtropical, Medium to large fruit, edible peel subgroup</p>	<p>Fig and guava</p>	<p>Achachairu; ambarella; araza; babaco; bilimbi; borojo; cajou, fruit; cambuca; carob; cashew apple; ciruela verde; davidson's plum; feijoa; fig; gooseberry, Indian; guava; guava, cattley; guava, Para; guava, purple strawberry; guava, strawberry; guava, yellow strawberry; imbe; imbu; jaboticaba; jujube, Indian; kwai muk; mangaba; Marian plum; mombin, Malayan; mombin, purple; monkeyfruit; nance; natal plum; noni; papaya, mountain; persimmon, Japanese; pomerac; rambai; rose apple; sentul; starfruit; Surinam cherry; tamarind; uvalha; cultivars, varieties, and hybrids of these commodities.</p>
<p>23C. Tropical and Subtropical, Palm fruit, edible peel subgroup</p>	<p>Date</p>	<p>Acai; apak palm; bacaba palm; bacaba-de-leque; date; doum palm coconut; jelly palm; pataua; peach palm, fruit; cultivars, varieties, and hybrids of these commodities.</p>

Crop Group 23 Crop Definition	A	B
	Guava (new 5/3/2016)	Guava; guava, cattley; guava, Para; guava, purple strawberry; guava, strawberry; guava, yellow strawberry
24. TROPICAL AND SUBTROPICAL FRUIT, INEDIBLE PEEL GROUP	Atemoya or sugar apple, avocado, banana or pomegranate, dragon fruit, lychee, passionfruit, pineapple and prickly pear, fruit	Abiu; aisen; akee apple; atemoya; avocado; avocado, Guatemalan; avocado, Mexican; avocado, West Indian; bacury; bael fruit; banana; banana, dwarf; binjai; biriba; breadfruit; Burmese grape; canistel; cat's-eyes; champedak; cherimoya; cupuacu; custard apple; dragon fruit; durian; elephant-apple; etambe; granadilla; granadilla, giant; ilama; inga; jackfruit; jatoba; karuka; kei apple; langsats; lanjuts; longan; lucuma; lychee; mabolo; madras-thorn; mammy-apple; manduro; mango; mango, horse; mango, Saipan; mangosteen; marang; marmaladebox; matisia; mesquite; mongongo, fruit; monkey-bread-tree; monstera; nicobar-breadfruit; paho; pandanus; papaya; passionflower, winged-stem; passionfruit; passionfruit, banana; passionfruit, purple; passionfruit, yellow; pawpaw, common; pawpaw, small-flower; pelipisan; pequi; pequia; persimmon, American; pineapple; pitahaya; pitaya; pitaya, amarillo; pitaya, roja; pitaya, yellow; plantain; pomegranate; poshte; prickly pear, fruit; prickly pear, Texas, fruit; pulasan; quandong; rambutan; saguaro; sapodilla; sapote, black; sapote, green; sapote, mamey; sapote, white; sataw; satinleaf; screw-pine; Sierra Leone-tamarind; soncoya; soursop; Spanish lime; star apple;

		sugar apple; sun sapote; tamarind-of-the-Indies; velvet tamarind; wampi; white star apple; wild loquat; cultivars, varieties, and hybrids of these commodities
24A. Tropical and Subtropical, Small fruit, inedible peel subgroup	Lychee	Aisen; bael fruit; Burmese grape; cat's-eyes; inga; longan; lychee; madras-thorn; manduro; matisia; mesquite; mongongo, fruit; pawpaw, small-flower; satinleaf; Sierra Leone-tamarind; Spanish lime; velvet tamarind; wampi; white star apple; cultivars, varieties, and hybrids of these commodities.
24B. Tropical and Subtropical, Medium to large fruit, smooth, inedible peel subgroup	Avocado, plus pomegranate or banana	Abiu; akee apple; avocado; avocado, Guatemalan; avocado, Mexican; avocado, West Indian; bacury; banana; banana, dwarf; binjai; canistel; cupuacu; etambe; jatoba; kei apple; langsai; lanjui; lucuma; mabolo; mango; mango, horse; mango, Saipan; mangosteen; paho; papaya; pawpaw, common; pelipisan; pequi; pequia; persimmon, American; plantain; pomegranate; poshte; quandong; sapote, black; sapote, green; sapote, white; sataw; screw-pine; star apple; tamarind-of-the-Indies; wild loquat; cultivars, varieties, and hybrids of these commodities.
24C. Tropical and Subtropical, Medium to large fruit, rough or hairy, inedible peel subgroup	Pineapple, plus atemoya or sugar apple	Atemoya; biriba; breadfruit; champedak; cherimoya; custard apple; durian; elephant-apple; ilama; jackfruit; karuka; mammy-apple; marang; marmaladebox; monkey-bread tree; nicobar-breadfruit; pandanus; pineapple; pulasan; rambutan; sapodilla; sapote, mamey; soncoya; soursop; sugar apple; sun

		sapote; cultivars, varieties, and hybrids of these commodities.
24D. Tropical and Subtropical, Cactus, inedible peel subgroup	Dragon fruit and prickly pear fruit	Dragon fruit; pitahaya; pitaya; pitaya, amarillo; pitaya, roja; pitaya, yellow; prickly pear, fruit; prickly pear, Texas, fruit; saguaro; cultivars, varieties, and hybrids of these commodities.
24E. Tropical and Subtropical, Vine, inedible peel subgroup	Passionfruit	Granadilla; granadilla, giant; monstera; passionflower, winged-stem; passionfruit; passionfruit, banana; passionfruit, purple; passionfruit, yellow; cultivars, varieties, and hybrids of these commodities.
Crop Group 24 Crop Definition	A	B
	Sugar apple (revised 5/3/2016)	<i>Annona squamosa L.</i> and its hybrid atemoya; also includes true custard apple
25. HERB CROP GROUP	Basil, fresh leaves and mint, fresh leaves; basil, dried leaves and mint, dried leaves	Agrimony, fresh leaves; Agrimony, dried leaves; Amla, fresh leaves; Amla, dried leaves; Angelica, fresh leaves; Angelica, dried leaves; Angelica, dahurian, fresh leaves; Angelica, dahurian, dried leaves; Applemint, fresh leaves; Applemint, dried leaves; Avarum, fresh leaves; Avarum, dried leaves; Balloon pea, fresh leaves; Balloon pea, dried leaves; Balm, fresh leaves; Balm, dried leaves; Barrenwort, fresh leaves; Barrenwort, dried leaves; Basil, fresh leaves; Basil, dried leaves; Basil, American, fresh leaves; Basil, American, dried leaves; Basil, Greek, fresh leaves; Basil, Greek, dried leaves; Basil, holy, fresh leaves; Basil, holy, dried leaves; Basil, lemon, fresh leaves; Basil, lemon, dried leaves; Basil, Russian, fresh leaves; Basil, Russian, dried leaves; Bay, fresh leaves; Bay, dried leaves; Bearberry,

	<p> fresh leaves; Bearberry, dried leaves; Bisongrass, fresh leaves; Bisongrass, dried leaves; Blue mallow, fresh leaves; Blue mallow, dried leaves; Boneset, fresh leaves; Boneset, dried leaves; Borage, fresh leaves; Borage, dried leaves; Borage, Indian, fresh leaves; Borage, Indian, dried leaves; Burnet, fresh leaves; Burnet, dried leaves; Burnet, garden, fresh leaves; Burnet, garden, dried leaves; Burnet, salad, fresh leaves; Burnet, salad, dried leaves; Butterbur, fresh leaves; Butterbur, dried leaves; Calamint, fresh leaves; Calamint, dried leaves; Calamint, large-flower, fresh leaves; Calamint, large-flower, dried leaves; Calamint, lesser, fresh leaves; Calamint, lesser, dried leaves; Calendula, fresh leaves; Calendula, dried leaves; Caltrop, fresh leaves; Caltrop, dried leaves; Camomile (Chamomile), fresh leaves; Camomile (Chamomile) dried leaves; Camomile (Chamomile), German, fresh leaves; Camomile (Chamomile), German, dried leaves; Camomile (Chamomile), Roman, fresh leaves; Camomile (Chamomile), Roman, dried leaves; Caraway, fresh leaves; Caraway, dried leaves; Cat's claw, fresh leaves; Cat's claw, dried leaves; Catnip, fresh leaves; Catnip, dried leaves; Catnip, Japanese, fresh leaves; Catnip, Japanese, dried leaves; Celandine, greater, fresh leaves; Celandine, greater, dried leaves; Celandine, lesser, fresh leaves; Celandine, lesser, dried leaves; Celery, dried leaves; Centaury, fresh leaves; Centaury, dried leaves; Chaste tree, fresh leaves; Chaste tree, dried leaves; Chaste </p>
--	---

	<p>tree, Chinese, fresh leaves; Chaste tree, Chinese, dried leaves; Chervil, dried leaves; Chinese blackberry, fresh leaves; Chinese blackberry, dried leaves; Chinese foxglove, fresh leaves; Chinese foxglove, dried leaves; Chive, dried leaves; Chive, Chinese, dried leaves; Cicely, sweet, fresh leaves; Cicely, sweet, dried leaves; Cilantro, dried leaves; Clary, fresh leaves; Clary, dried leaves; Coriander, Bolivian, fresh leaves; Coriander, Bolivian, dried leaves; Coriander, Vietnamese, fresh leaves; Coriander, Vietnamese, dried leaves; Costmary, fresh leaves; Costmary dried leaves; Creat, fresh leaves; Creat, dried leaves; Culantro, fresh leaves; Culantro, dried leaves; Curry leaf, fresh leaves; Curry leaf, dried leaves; Curryplant, fresh leaves; Curryplant, dried leaves; Cut leaf, fresh leaves; Cut leaf, dried leaves; Damiana, fresh leaves; Damiana, dried leaves; Dillweed, dried leaves; Dokudami, fresh leaves; Dokudami, dried leaves; Echinacea, fresh leaves; Echinacea, dried leaves; Epazote, fresh leaves; Epazote, dried leaves; Eucommia, fresh leaves; Eucommia, dried leaves; Evening primrose, fresh leaves; Evening primrose, dried leaves; Eyebright, fresh leaves; Eyebright, dried leaves; Fennel, common, fresh leaves; Fennel, common, dried leaves; Fennel, Florence, dried leaves; Fennel, Spanish, fresh leaves; Fennel, Spanish, dried leaves; Fenugreek, fresh leaves; Fenugreek, dried leaves; Feverfew, fresh leaves; Feverfew, dried leaves; Field pennycress, fresh leaves; Field</p>
--	--

		<p> pennycress, dried leaves; Flowers, edible, fresh leaves, multiple species; Flowers, edible, dried leaves, multiple species; Fumitory, fresh leaves; Fumitory, dried leaves; Galbanum, fresh leaves; Galbanum, dried leaves; Galega, fresh leaves; Galega, dried leaves; Gambir, fresh leaves; Gambir, dried leaves; Geranium, fresh leaves; Geranium, dried leaves; Geranium, lemon, fresh leaves; Geranium, lemon, dried leaves; Geranium, rose, fresh leaves; Geranium, rose, dried leaves; Germander, golden, fresh leaves; Germander, golden, dried leaves; Goldenrod, European, fresh leaves; Goldenrod, European, dried leaves; Goldenseal, fresh leaves; Goldenseal, dried leaves; Gotu kola, fresh leaves; Gotu kola, dried leaves; Greater periwinkle, fresh leaves; Greater periwinkle, dried leaves; Guayusa, fresh leaves; Guyana, dried leaves; Gumweed, fresh leaves; Gumweed, dried leaves; Gymnema, fresh leaves; Gymnema, dried leaves; Gypsywort, fresh leaves; Gypsywort, dried leaves; Hawthorn, fresh leaves; Hawthorn, dried leaves; Heal-all, fresh leaves; Heal-all, dried leaves; Hemp nettle, fresh leaves; Hemp nettle, dried leaves; Honewort, fresh leaves; Honewort, dried leaves; Honeybush, fresh leaves; Honeybush, dried leaves; Horehound, fresh leaves; Horehound, dried leaves; Horsemint, fresh leaves; Horsemint, dried leaves; Horsetail, fresh leaves; Horsetail, dried leaves; Hyssop, fresh leaves; Hyssop, dried leaves; Hyssop, anise, fresh leaves; Hyssop, anise, dried leaves; Indian </p>
--	--	--

		tobacco, fresh leaves; Indian tobacco, dried leaves; Ironwort, fresh leaves; Ironwort, dried leaves; Ivy, fresh leaves; Ivy, dried leaves; Jamaica dogwood, fresh leaves; Jamaica dogwood, dried leaves; Jasmine, fresh leaves; Jasmine dried leaves; Labrador tea, fresh leaves; Labrador tea, dried leaves; Lavender, fresh leaves; Lavender, dried leaves; Lemon verbena, fresh leaves; Lemon verbena, dried leaves; Lemongrass, fresh leaves; Lemongrass, dried leaves; Lovage, fresh leaves; Lovage, dried leaves; Love- in-a-mist, fresh leaves; Love-in-a-mist, dried leaves; Mamaki, fresh leaves; Mamaki, dried leaves; Marigold, fresh leaves; Marigold, dried leaves; Marigold, African, fresh leaves; Marigold, African, dried leaves; Marigold, Aztec, fresh leaves; Marigold, Aztec, dried leaves; Marigold, French, fresh leaves; Marigold, French, dried leaves; Marigold, Irish lace, fresh leaves; Marigold, Irish lace, dried leaves; Marigold, licorice, fresh leaves; Marigold, licorice, dried leaves; Marigold, Mexican mint, fresh leaves; Marigold Mexican mint, dried leaves; Marigold, signet, fresh leaves; Marigold, signet, dried leaves; Marjoram, fresh leaves; Marjoram, dried leaves; Marjoram, pot, fresh leaves; Marjoram, pot, dried leaves; Marjoram, sweet, fresh leaves; Marjoram, sweet, dried leaves; Marshmallow, fresh leaves; Marshmallow, dried leaves; Meadowsweet, fresh leaves; Meadowsweet dried leaves; Mint, fresh leaves; Mint, dried leaves; Mint, corn, fresh leaves; Mint, corn, dried leaves;
--	--	---

		<p> Mint, Korean, fresh leaves; Mint Korean, dried leaves; Monarda, fresh leaves; Monarda, dried leaves; Moringa, fresh leaves; Moringa, dried leaves; Motherwort, fresh leaves; Motherwort, dried leaves; Mountainmint, fresh leaves; Mountainmint, dried leaves; Mountainmint, clustered, fresh leaves; Mountainmint, clustered, dried leaves; Mountainmint, hoary, fresh leaves; Mountainmint, hoary, dried leaves; Mountainmint, Virginia, fresh leaves; Mountainmint, Virginia, dried leaves; Mountainmint, whorled, fresh leaves; Mountainmint, whorled, dried leaves; Mugwort, fresh leaves; Mugwort, dried leaves; Mulberry, white, fresh leaves; Mulberry, white, dried leaves; Mullein, fresh leaves; Mullein, dried leaves; Mustard, hedge, fresh leaves; Mustard, hedge, dried leaves; Nasturtium, fresh leaves; Nasturtium, dried leaves; Nasturtium, bush, fresh leaves; Nasturtium, bush, dried leaves; Nasturtium, garden, fresh leaves; Nasturtium, garden, dried leaves; Nettle, stinging, fresh leaves; Nettle, stinging, dried leaves; Oregano, fresh leaves; Oregano, dried leaves; Oregano, Mexican, fresh leaves; Oregano, Mexican, dried leaves; Oregano, Puerto Rico, fresh leaves; Oregano, Puerto Rico, dried leaves; Oswego tea, fresh leaves; Oswego teat, dried leaves; Pandan leaf, fresh leaves; Pandan leaf, dried leaves; Pansy, fresh leaves; Pansy, dried leaves; Paracress, fresh leaves; Paracress dried leaves; Parsley, dried leaves; Partridge </p>
--	--	--

berry, fresh leaves; Partridge berry, dried leaves; Patchouli, fresh leaves; Patchouli, dried leaves; Pennyroyal, fresh leaves; Pennyroyal, dried leaves; Pepper leaf, black, fresh leaves; Pepper leaf, black, dried leaves; Peppermint, fresh leaves; Peppermint, dried leaves; Perilla, fresh leaves; Perilla, dried leaves; Pill bearing spurge, fresh leaves; Pill bearing spurge, dried leaves; Pipsissewa, fresh leaves; Pipsissewa, dried leaves; Plantain, common, fresh leaves; Plantain, common, dried leaves; Rooibos, fresh leaves; Rooibos, dried leaves; Rose, fresh leaves; Rose, dried leaves; Rosemary, fresh leaves; Rosemary, dried leaves; Sage, fresh leaves; Sage, dried leaves; Sage, Greek, fresh leaves; Sage, Greek, dried leaves; Sage, Spanish, fresh leaves; Sage, Spanish, dried leaves; Sage, white, fresh leaves; Sage, white, dried leaves; Savory, summer, fresh leaves; Savory, summer, dried leaves; Savory, winter, fresh leaves; Savory, winter, dried leaves; Senna, fresh leaves; Senna, dried leaves; Siberian fir, fresh leaves; Siberian fir, dried leaves; Skullcap, fresh leaves; Skullcap, dried leaves; Small flower willow head, fresh leaves; Small flower willow head, dried leaves; Sorrel, fresh leaves; Sorrel, dried leaves; Sorrel, French, fresh leaves; Sorrel, French, dried leaves; Sorrel, garden, fresh leaves; Sorrel, garden, dried leaves; Southernwood, fresh leaves; Southernwood, dried leaves; Spearmint, fresh leaves; Spearmint, dried leaves; Spearmint, Scotch, fresh leaves; Spearmint, Scotch, dried leaves;

	<p> Spilanthes, fresh leaves; Spilanthes, dried leaves; Spotted beebalm, fresh leaves; Spotted beebalm, dried leaves; St. John's Wort, fresh leaves; St. John's Wort, dried leaves; Stevia, fresh leaves; Stevia, dried leaves; Stoneroot, fresh leaves; Stoneroot, dried leaves; Swamp leaf, fresh leaves; Swamp leaf, dried leaves; Tansy, fresh leaves; Tansy, dried leaves; Tarragon, fresh leaves; Tarragon, dried leaves; Thuja, fresh leaves; Thuja, dried leaves; Thyme, fresh leaves; Thyme, dried leaves; Thyme, creeping, fresh leaves; Thyme, creeping, dried leaves; Thyme, lemon, fresh leaves; Thyme, lemon, dried leaves; Thyme, mastic, fresh leaves; Thyme, mastic, dried leaves; Toon, Chinese, fresh leaves; Toon, Chinese, dried leaves; Toothed clubmoss, fresh leaves; Toothed clubmoss, dried leaves; Trailing arbutus, fresh leaves; Trailing arbutus, dried leaves; Vasaka, fresh leaves; Vasaka, dried leaves; Verbena, blue, fresh leaves; Verbena, blue, dried leaves; Veronica, fresh leaves; Veronica, dried leaves; Violet, fresh leaves; Violet, dried leaves; Watermint, fresh leaves; Watermint, dried leaves; Waterpepper, fresh leaves; Waterpepper, dried leaves; Wild bergamot, fresh leaves; Wild bergamot, dried leaves; Wintergreen, fresh leaves; Wintergreen, dried leaves; Wood betony, fresh leaves; Wood betony, dried leaves; Woodruff, fresh leaves; Woodruff, dried leaves; Wormwood, fresh leaves; Wormwood, dried leaves; Wormwood, Roman, fresh leaves; Wormwood, Roman, dried leaves; Yarrow, fresh </p>
--	--

		leaves; Yarrow, dried leaves; Yellow gentian, fresh leaves; Yellow gentian, dried leaves; Yerba santa, fresh leaves; Yerba santa, dried leaves; Yomogi, fresh leaves; Yomogi, dried leaves; Cultivars, varieties, and hybrids of these commodities.
25A. Herb fresh leaves subgroup	Basil, fresh leaves and mint, fresh leaves	Agrimony, fresh leaves; Amla, fresh leaves; Angelica, fresh leaves; Angelica, dahurian, fresh leaves; Applemint, fresh leaves; Avarum, fresh leaves; Balloon pea, fresh leaves; Balm, fresh leaves; Barrenwort, fresh leaves; Basil, fresh leaves; Basil, American, fresh leaves; Basil, Greek, fresh leaves; Basil, holy, fresh leaves; Basil, lemon, fresh leaves; Basil, Russian, fresh leaves; Bay, fresh leaves; Bearberry, fresh leaves; Bisongrass, fresh leaves; Blue mallow, fresh leaves; Boneset, fresh leaves; Borage, fresh leaves; Borage, Indian, fresh leaves; Burnet, fresh leaves; Burnet, garden, fresh leaves; Burnet, salad, fresh leaves; Butterbur, fresh leaves; Calamint, fresh leaves; Calamint, large-flower, fresh leaves; Calamint, lesser, fresh leaves; Calendula, fresh leaves; Caltrop, fresh leaves; Camomile (Chamomile), fresh leaves; Camomile (Chamomile), German, fresh leaves; Camomile (Chamomile), Roman, fresh leaves; Caraway, fresh leaves; Cat's claw, fresh leaves; Catnip, fresh leaves; Catnip, Japanese, fresh leaves; Celandine, greater, fresh leaves; Celandine, lesser, fresh leaves; Centaury, fresh leaves; Chaste tree, fresh leaves; Chaste tree, Chinese, fresh leaves;

		<p>Chinese blackberry, fresh leaves; Chinese foxglove, fresh leaves; Cicely, sweet, fresh leaves; Clary, fresh leaves; Coriander, Bolivian, fresh leaves; Coriander, Vietnamese, fresh leaves; Costmary, fresh leaves; Creat, fresh leavers; Culantro, fresh leaves; Curry leaf, fresh leaves; Curryplant, fresh leaves; Cut leaf, fresh leaves; Damiana, fresh leaves; Dokudami, fresh leaves; Echinacea, fresh leaves; Epazote, fresh leaves; Eucommia, fresh leaves; Evening primrose, fresh leaves; Eyebright, fresh leaves; Fennel, common, fresh leaves; Fennel, Spanish, fresh leaves; Fenugreek, fresh leaves; Feverfew, fresh leaves; Field pennycress, fresh leaves; Flowers, edible, fresh, multiple species; Fumitory, fresh leaves; Galbanum, fresh leaves; Galega, fresh leaves; Gambir, fresh leaves; Geranium, fresh leaves; Geranium, lemon, fresh leaves; Geranium, rose, fresh leaves; Germander, golden, fresh leaves; Goldenrod, European, fresh leaves; Goldenseal, fresh leaves; Gotu kola, fresh leaves; Greater periwinkle, fresh leaves; Guayusa, fresh leaves; Gumweed, fresh leaves; Gymnema, fresh leaves; Gypsywort, fresh leaves; Hawthorn, fresh leaves; Heal-all, fresh leaves; Hemp nettle, fresh leaves; Honewort, fresh leaves; Honeybush, fresh leaves; Horehound, fresh leaves; Horsemint, fresh leaves; Horsetail, fresh leaves; Hyssop, fresh leaves; Hyssop, anise, fresh leaves; Indian tobacco, fresh leaves; Ironwort, fresh leaves; Ivy, fresh leaves; Jamaica dogwood, fresh leaves; Jasmine, fresh</p>
--	--	---

	leaves; Labrador tea, fresh leaves; Lavender, fresh leaves; Lemon verbena, fresh leaves; Lemongrass, fresh leaves; Lovage, fresh leaves; Love-in-a-mist, fresh leaves; Mamaki, fresh leaves; Marigold, fresh leaves; Marigold, African, fresh leaves; Marigold, Aztec, fresh leaves; Marigold, French, fresh leaves; Marigold, Irish lace, fresh leaves; Marigold, licorice, fresh leaves; Marigold, Mexican mint, fresh leaves; Marigold, signet, fresh leaves; Marjoram, fresh leaves; Marjoram, pot, fresh leaves; Marjoram, sweet, fresh leaves; Marshmallow, fresh leaves; Meadowsweet, fresh leaves; Mint, fresh leaves; Mint, corn, fresh leaves; Mint, Korean, fresh leaves; Monarda, fresh leaves; Moringa, fresh leaves; Motherwort, fresh leaves; Mountainmint, fresh leaves; Mountainmint, clustered, fresh leaves; Mountainmint, hoary, fresh leaves; Mountainmint, Virginia, fresh leaves; Mountainmint, whorled, fresh leaves; Mugwort, fresh leaves; Mulberry, white, fresh leaves; Mullein, fresh leaves; Mustard, hedge, fresh leaves; Nasturtium, fresh leaves; Nasturtium, bush, fresh leaves; Nasturtium, garden, fresh leaves; Nettle, stinging, fresh leaves; Oregano, fresh leaves; Oregano, Mexican, fresh leaves; Oregano, Puerto Rico, fresh leaves; Oswego tea, fresh leaves; Pandan leaf, fresh leaves; Pansy, fresh leaves; Paracress, fresh leaves; Partridge berry, fresh leaves; Patchouli, fresh leaves; Pennyroyal, fresh leaves; Pepper leaf, black, fresh leaves; Peppermint, fresh
--	---

		leaves; Perilla, fresh leaves; Pill bearing spurge, fresh leaves; Pipsissewa, fresh leaves; Plantain, common, fresh leaves; Rooibos, fresh leaves; Rose, fresh leaves; Rosemary, fresh leaves; Sage, fresh leaves; Sage, Greek, fresh leaves; Sage, Spanish, fresh leaves; Sage, white, fresh leaves; Savory, summer, fresh leaves; Savory, winter, fresh leaves; Senna, fresh leaves; Siberian fir, fresh leaves; Skullcap, fresh leaves; Small flower willow head, fresh leaves; Sorrel, fresh leaves; Sorrel, French, fresh leaves; Sorrel, garden, fresh leaves; Southernwood, fresh leaves; Spearmint, fresh leaves; Spearmint, Scotch, fresh leaves; Spilanthes, fresh leaves; Spotted beebalm, fresh leaves; St. John's Wort, fresh leaves; Stevia, fresh leaves; Stoneroot, fresh leaves; Swamp leaf, fresh leaves; Tansy, fresh leaves; Tarragon, fresh leaves; Thuja, fresh leaves; Thyme, fresh leaves; Thyme, creeping, fresh leaves; Thyme, lemon, fresh leaves; Thyme, mastic, fresh leaves; Toon, Chinese, fresh leaves; Toothed clubmoss, fresh leaves; Trailing arbutus, fresh leaves; Vasaka, fresh leaves; Verbena, blue, fresh leaves; Veronica, fresh leaves; Violet, fresh leaves; Watermint, fresh leaves; Waterpepper, fresh leaves; Wild bergamot, fresh leaves; Wintergreen, fresh leaves; Wood betony, fresh leaves; Woodruff, fresh leaves; Wormwood, fresh leaves; Wormwood, Roman, fresh leaves; Yarrow, fresh leaves; Yellow gentian, fresh leaves; Yerba santa, fresh leaves;
--	--	---

		Yomogi, fresh leaves; Cultivars, varieties, and hybrids of these commodities.
25B. Herb dried leaves subgroup	Basil, dried leaves and mint, dried leaves	<p>Agrimony, dried leaves; Amla, dried leaves; Angelica, dried leaves; Angelica, dahurian, dried leaves; Applemint, dried leaves; Avarum, dried leaves; Balloon pea, dried leaves; Balm, dried leaves; Barrenwort, dried leaves; Basil, dried leaves; Basil, American, dried leaves; Basil, Greek, dried leaves; Basil, holy, dried leaves; Basil, lemon, dried leaves; Basil, Russian, dried leaves; Bay, dried leaves; Bearberry, dried leaves; Bisongrass, dried leaves; Blue mallow, dried leaves; Boneset, dried leaves; Borage, dried leaves; Borage, Indian, dried leaves; Burnet, dried leaves; Burnet, garden, dried leaves; Burnet, salad, dried leaves; Butterbur, dried leaves; Calamint, dried leaves; Calamint, large-flower, dried leaves; Calamint, lesser, dried leaves; Calendula, dried leaves; Caltrop, dried leaves; Camomile (Chamomile), dried leaves; Camomile (Chamomile), German, dried leaves; Camomile (Chamomile), Roman, dried leaves; Caraway, dried leaves; Cat's claw, dried leaves; Catnip, dried leaves; Catnip, Japanese, dried leaves; Celandine, greater, dried leaves; Celandine, lesser, dried leaves; Celery, dried leaves; Centaury, dried leaves; Chaste tree, dried leaves; Chaste tree, Chinese, dried leaves; Chervil, dried leaves; Chinese blackberry, dried leaves; Chinese foxglove, dried leaves; Chive, dried leaves; Chive, Chinese, dried leaves; Cicely, sweet, dried leaves; Cilantro, dried</p>

	leaves; Clary, dried leaves; Coriander, Bolivian, dried leaves; Coriander, Vietnamese, dried leaves; Costmary, dried leaves; Creat, dried leaves; Culantro, dried leaves; Curry leaf, dried leaves; Curryplant, dried leaves; Cut leaf, dried leaves; Damiana, dried leaves; Dillweed, dried leaves; Dokudami, dried leaves; Echinacea, dried leaves; Epazote, dried leaves; Eucommia, dried leaves; Evening primrose, dried leaves; Eyebright, dried leaves; Fennel, common, dried leaves; Fennel, Florence, dried leaves; Fennel, Spanish, dried leaves; Fenugreek, dried leaves; Feverfew, dried leaves; Field pennycress, dried leaves; Flowers, edible, dried, multiple species; Fumitory, dried leaves; Galbanum, dried leaves; Galega, dried leaves; Gambir, dried leaves; Geranium, dried leaves; Geranium, lemon, dried leaves; Geranium, rose, dried leaves; Germander, golden, dried leaves; Goldenrod, European, dried leaves; Goldenseal, dried leaves; Gotu kola, dried leaves; Greater periwinkle, dried leaves; Guayusa, dried leaves; Gumweed, dried leaves; Gymnema, dried leaves; Gypsywort, dried leaves; Hawthorn, dried leaves; Heal-all, dried leaves; Hemp nettle, dried leaves; Honewort, dried leaves; Honeybush, dried leaves; Horehound, dried leaves; Horsemint, dried leaves; Horsetail, dried leaves; Hyssop, dried leaves; Hyssop, anise, dried leaves; Indian tobacco, dried leaves; Ironwort, dried leaves; Ivy, dried leaves; Jamaica dogwood, dried leaves; Jasmine, dried leaves; Labrador tea, dried leaves;
--	--

		<p> Lavender, dried leaves; Lemon verbena, dried leaves; Lemongrass, dried leaves; Lovage, dried leaves; Love-in-a-mist, dried leaves; Mamaki, dried leaves; Marigold, dried leaves; Marigold, African, dried leaves; Marigold, Aztec, dried leaves; Marigold, French, dried leaves; Marigold, Irish lace, dried leaves; Marigold, licorice, dried leaves; Marigold, Mexican mint, dried leaves; Marigold, signet, dried leaves; Marjoram, dried leaves; Marjoram, pot, dried leaves; Marjoram, sweet, dried leaves; Marshmallow, dried leaves; Meadowsweet, dried leaves; Mint, dried leaves; Mint, corn, dried leaves; Mint, Korean, dried leaves; Monarda, dried leaves; Moringa, dried leaves; Motherwort, dried leaves; Mountainmint, dried leaves; Mountainmint, clustered, dried leaves; Mountainmint, hoary, dried leaves; Mountainmint, Virginia, dried leaves; Mountainmint, whorled, dried leaves; Mugwort, dried leaves; Mulberry, white, dried leaves; Mullein, dried leaves; Mustard, hedge, dried leaves; Nasturtium, dried leaves; Nasturtium, bush, dried leaves; Nasturtium, garden, dried leaves; Nettle, stinging, dried leaves; Oregano, dried leaves; Oregano, Mexican, dried leaves; Oregano, Puerto Rico, dried leaves; Oswego tea, dried leaves; Pandan leaf, dried leaves; Pansy, dried leaves; Paracress, dried leaves; Parsley, dried leaves; Partridge berry, dried leaves; Patchouli, dried leaves; Pennyroyal, dried leaves; Pepper leaf, black, dried leaves; Peppermint, dried leaves; Perilla, dried </p>
--	--	---

	leaves; Pill bearing spurge, dried leaves; Pipsissewa, dried leaves; Plantain, common, dried leaves; Rooibos, dried leaves; Rose, dried leaves; Rosemary, dried leaves; Sage, dried leaves; Sage, Greek, dried leaves; Sage, Spanish, dried leaves; Sage, white, dried leaves; Savory, summer, dried leaves; Savory, winter, dried leaves; Senna, dried leaves; Siberian fir, dried leaves; Skullcap, dried leaves; Small flower willow head, dried leaves; Sorrel, dried leaves; Sorrel, French, dried leaves; Sorrel, garden, dried leaves; Southernwood, dried leaves; Spearmint, dried leaves; Spearmint, Scotch, dried leaves; Spilanthes, dried leaves; Spotted beebalm, dried leaves; St. John's Wort, dried leaves; Stevia, dried leaves; Stoneroot, dried leaves; Swamp leaf, dried leaves; Tansy, dried leaves; Tarragon, dried leaves; Thuja, dried leaves; Thyme, dried leaves; Thyme, creeping, dried leaves; Thyme, lemon, dried leaves; Thyme, mastic, dried leaves; Toon, Chinese, dried leaves; Toothed clubmoss, dried leaves; Trailing arbutus, dried leaves; Vasaka, dried leaves; Verbena, blue, dried leaves; Veronica, dried leaves; Violet, dried leaves; Watermint, dried leaves; Waterpepper, dried leaves; Wild bergamot, dried leaves; Wintergreen, dried leaves; Wood betony, dried leaves; Woodruff, dried leaves; Wormwood, dried leaves; Wormwood, Roman, dried leaves; Yarrow, dried leaves; Yellow gentian, dried leaves; Yerba santa, dried leaves; Yomogi, dried leaves; Cultivars,
--	---

		varieties, and hybrids of these commodities.
Crop Group 25 Crop Definitions	A	B
	Marjoram (<i>Origanum</i> spp.) (revised 11/6/2020)	Marjoram (<i>Origanum</i> spp.); Marjoram, pot (<i>Origanum onites</i> L.); Marjoram, sweet (<i>Origanum majorana</i> L.); Oregano (<i>Origanum vulgare</i> L.)
	Basil (<i>Ocimum</i> spp.) (new 11/6/2020)	Basil (<i>Ocimum basilicum</i> L.); Basil, American (<i>Ocimum americanum</i> L.); Basil, Greek (<i>Ocimum minimum</i> L.); Basil, holy (<i>Ocimum tenuiflorum</i> L.); Basil, lemon (<i>Ocimum x citriodorum</i> Vis.); Basil, Russian (<i>Ocimum gratissimum</i> L.)
	Flowers, edible, multiple species (new 11/6/2020)	Acacia blossoms (<i>Acacia senegal</i> (L.) Willd.); Alyssum, sweet (<i>Lobularia maritima</i> (L.) Desv.); Anchusa, garden (<i>Anchusa azurea</i> Mill.); Angelica (<i>Angelica archangelica</i> L.); Apricot, Japanese (<i>Prunus mume</i> Siebold & Zucc.); Arnica (<i>Arnica montana</i> L.); Arugula (<i>Eruca sativa</i> Mill.); Balm (<i>Melissa officinalis</i> L.); Banana (<i>Musa</i> spp.); Basil (<i>Ocimum</i> spp.); Begonia, tuberous (<i>Begonia x tuberhybrida</i> Voss); Bilimbi (<i>Averrhoa bilimbi</i> L.); Bisnaga (<i>Ammi visnaga</i> (L.) Lam.); Blue thistle (<i>Centaurea benedicta</i> (L.) L.); Borage (<i>Borago officinalis</i> L.); Broccoli (<i>Brassica oleracea</i> L. var. <i>italica</i> Plenck); Bugelweed (<i>Lycopus</i> spp.); Burnet (<i>Sanguisorba</i> spp.); Calendula (<i>Calendula officinalis</i> L.); Canadian goldenrod (<i>Solidago canadensis</i> L.); Caper (<i>Capparis spinosa</i> L.); Carambola (<i>Averrhoa carambola</i> L.); Carnation (<i>Dianthus caryophyllus</i> L.); Celandine, greater (<i>Chelidonium majus</i> L.); Chamomile (<i>Chamaemelum</i> spp.)

and *Matricaria* spp.); Chaparral (*Larrea tridentata* (DC.) Coville); Chervil (*Anthriscus cerefolium* (L.) Hoffm.); Chicory (*Cichorium intybus* L.); Chive, Chinese (*Allium tuberosum* Rottler ex Spreng.); Chrysanthemum (*Chrysanthemum* spp.); Clary (*Salvia sclarea* L.); Cleavers (*Galium aparine* L.); Clove (*Syzygium aromaticum* (L.) Merr. & L. M. Perry); Clover, red (*Trifolium pratense* L.); Coriander/Cilantro (*Coriandrum sativum* L.); Cornflower (*Centaurea cyanus* L.); Costmary (*Tanacetum balsamita* L. subsp. *balsamita*); Daisy, English (*Bellis perennis* L.); Dames rocket (*Hesperis matronalis* L.); Damiana (*Turnera diffusa* Willd); Dandelion (*Taraxacum officinale* F. H. Wigg. aggr.); Daylily (*Hemerocallis fulva* (L.) L.); Dill (*Anethum graveolens* L.); Elder (*Sambucus nigra* L.); Eyebright (*Euphrasia* spp.); Feijoa (*Acca sellowiana* (O. Berg) Burret); Fennel (common) (*Foeniculum vulgare* Mill. subsp. *vulgare* var. *vulgare*); Frangipani (*Plumeria rubra* L.); Fuchsia (*Fuchsia* spp.); Gardenia (*Gardenia jasminoides* J. Ellis); Geranium (*Pelargonium* spp.); Geranium, lemon (*Pelargonium crispum* (P.J. Bergius) L'Her.); Geranium, rose (*Pelargonium graveolens* L'Her.); Ginger, white (*Hedychium coronarium* J. Koenig); Gladiolus (*Gladiolus* spp.); Greater periwinkle (*Vinca major* L.); Hawthorn (*Crataegus monogyna* Jacq. *Crataegus* spp.); Hibiscus (*Hibiscus* spp.); Hibiscus, Chinese (*Hibiscus rosa-sinensis* L.); Hollyhock (*Alcea rosea* L.); Honeysuckle, Japanese (*Lonicera*

japonica Thunb.); Horehound (*Marrubium vulgare* L.); Hyssop (*Hyssopus officinalis* L.); Hyssop, anise (*Agastache foeniculum* (Pursh) Kuntze); Impatiens (*Impatiens walleriana* Hook. f.); Jasmine, Arabian (*Jasminum sambac* (L.) Aiton); Kewra (*Pandanus fascicularis* Lam.); Lavender (*Lavandula angustifolia* Mill.); Lemon (*Citrus limon* (L.) Burm. f.); Lilac (*Syringa vulgaris* L.); Lily (*Lilium* spp.); Lily, mariposa (*Calochortus gunnisonii* S. Watson); Lily, sego (*Calochortus nuttallii* Torr. & A. Gray); Lotus (*Nelumbo nucifera* Gaertn.); Lovage (*Levisticum officinale* W. D. J. Koch); Mallow, high (*Malva sylvestris* L.); Marigold (*Tagetes* spp.); Marjoram (*Origanum* spp.); Meadowsweet (*Filipendula ulmaria* (L.) Maxim.); Mint (*Mentha* spp.); Mioga (*Zingiber mioga* (Thunb.) Roscoe); Monarda (*Monarda* spp.); Motherwort (*Leonurus cardiaca* L.); Mullein (*Verbascum thapsus* L., *Verbascum* spp.); Mustard (*Brassica* spp. and *Sinapis* spp.); Nasturtium (*Tropaeolum* spp.); Okra (*Abelmoschus esculentus* (L.) Moench); Orange, bitter (*Citrus aurantium* L.); Passion flower (*Passiflora* spp.); Pea blossoms (*Pisum sativum* L. subsp. *sativum* var. *sativum*); Peach (*Prunus persica* (L.) Batsch var. *persica*); Peony, common (*Paeonia officinalis* L.); Perilla (*Perilla frutescens* (L.) Britton); Petunia (*Petunia* x *hybrida* hort. ex E. Vilm.); Primrose (*Primula vulgaris* Huds.); Puget sound gumweed (*Grindelia integrifolia* DC.); Purslane, winter (*Claytonia perfoliata* Donn ex Willd.); Radish (*Raphanus sativus* L.); Redbud

		<p>(<i>Cercis canadensis</i> L.); Rose (<i>Rosa</i> spp.); Rosemary (<i>Rosmarinus officinalis</i> L.); Rose-of-Sharon (<i>Hibiscus syriacus</i> L.); Runner bean, scarlet (<i>Phaseolus coccineus</i> L.); Safflower (<i>Carthamus tinctorius</i> L.); Sage (<i>Salvia officinalis</i> L.); Sage, pineapple (<i>Salvia elegans</i>); Savory, summer (<i>Satureja hortensis</i> L.); Saxifrage, burnet (<i>Pimpinella saxifraga</i> L.); Scotch broom (<i>Cytisus scoparius</i> (L.) Link); Shepherd's purse (<i>Capsella bursa-pastoris</i> (L.) Medik.); Snapdragon (<i>Antirrhinum majus</i> L.); Sorrel, garden (<i>Rumex acetosa</i> L.); Sorrel, wood (<i>Oxalis acetosella</i> L.); Spilanthes (<i>Blainvillea acmella</i> (L.) Philipson); Squash (<i>Cucurbita</i> spp.); Stock, gillyflower (<i>Matthiola incana</i> (L.) W. T. Aiton); Stoneroot (<i>Collinsonia canadensis</i> L.); Sunflower (<i>Helianthus annuus</i> L.); Sweet william (<i>Dianthus barbatus</i> L.); Sweet wormwood (<i>Artemisia annua</i> L.); Thyme (<i>Thymus vulgaris</i> L.); Tuberose (<i>Polianthes tuberosa</i> L.); Tulip (<i>Tulipa</i> spp.); Verbena, blue (<i>Verbena hastata</i> L.); Verbena, lemon (<i>Aloysia citrodora</i> Palau); Violet (<i>Viola</i> spp.); Wormwood (<i>Artemisia absinthium</i> L.); Yarrow (<i>Achillea millefolium</i> L.); Yucca (<i>Yucca</i> spp.); and other edible flowers</p>
	Mint (<i>Mentha</i> spp.) (new 11/6/2020)	<p>Mint (<i>Mentha</i> spp.); Applemint (<i>Mentha suaveolens</i> Ehrh.); Horsemint (<i>Mentha longifolia</i> (L.) Huds.); Mint, corn (<i>Mentha arvensis</i> L.); Peppermint (<i>Mentha x piperita</i> L.); Spearmint (<i>Mentha spicata</i> L.); Spearmint, Scotch (<i>Mentha x gracilis</i> Sole); Watermint (<i>Mentha aquatica</i> L.); Pennyroyal (<i>Mentha pulegium</i> L.)</p>

<p>26. SPICES CROP GROUP</p>	<p>Dill seed or Celery seed</p>	<p>Ajowan, seed; Alder buckhorn; Allspice; Ambrette, seed; Amla, seed; Angelica, dahurian, seed; Angelica, seed; Angostura, bark; Anise pepper; Anise, seed; Anise, star; Annatto, seed; Asafoetida; Ashwagandha, fruit; Autumn crocus; Balsam, Peruvian; Barberry, bark; Batavia-cassia, bark; Batavia-cassia, fruit; Belleric myrobalan; Betel vine; Birch, bark; Bisnaga, seed; Bitterwood; Black bread weed; Bloodroot; Blue mallee; Blushwood, seed; Boldo, leaf; Buchu; Calamus root; Candlebush; Canella, bark; Caper buds; Caper spurge, seed; Caraway, black; Caraway, fruit; Cardamom, black; Cardamom, Ethiopian; Cardamom, green; Cardamom, Nepal; Cardamom-amomum; Cascara sagrada; Cassia, bark; Cassia, Chinese, bark; Cassia, Chinese, fruit; Cassia, fruit; Cat's claw, bark; Catechu, bark; Celery, seed; Chaste tree, berry; Chaste tree, Chinese, roots; Chervil, seed; Chinese hawthorn; Chinese nutmeg tree; Chinese wineberry, fruit; Chinese-pepper; Cinnamon, bark; Cinnamon, fruit; Cinnamon, Saigon, bark; Cinnamon, Saigon, fruit; Clove buds; Clusterleaf; Comfrey; Copaiba; Coptis; Coriander, fruit; Coriander, seed; Cotton, bark; Crampbark; Cubeb, seed; Culantro, seed; Culvers root; Cumin; Cumin, black; Dill, seed; Dorriggo pepper, berry; Dorriggo pepper, leaf; Dragon blood; Echinacea, seed; Epimedium; Eucalyptus; Eucommia, bark; European beech; Felty germander; Fennel flower, seed; Fennel, common, fruit; Fennel, common, seed; Fennel, Florence, fruit; Fennel, Florence, seed; Fenugreek, seed; Fingerroot; Flame lily, seed; Frankincense; Frankincense, Indian; Fringetree, bark; Galbanum, resin;</p>
--	--	--

		<p> Gambooge; Grains of paradise; Grains of Selim; Guaiac; Guarana; Guggul; Gum Arabic; Gum ghatti; Gum karaya; Gum tragacanth; Haw, black; Honewort, seed; Imperatoria; Indian tobacco, seed; Iva; Jalap; Jamaica dogwood, bark; Juniper berry; Kaffir lime, leaf; Kewra; Kokam; Linden, leaf; Lovage, seed; Mace; Magnolia, bark; Mahaleb; Malabar cardamom; Malabar-tamarind; Malabathrum; Mastic; Micromeria, white; Milk thistle; Mioga; Miracle fruit; Mistletoe; Mojave yucca; Muira puama; Mustard, black; Mustard, brown; Mustard, seed; Mustard, white; Myrrh; Myrrh, bisabol; Myrtle, anise; Myrtle, leaf; Myrtle, lemon; Nasturtium, bush, pods; Nasturtium, garden, pods; Nasturtium, pods; Nettle, stinging, seed; Nutmeg; Osha; Pepper, black; Pepper, Indian long; Pepper, Javanese long; Pepper, leaf; Pepper, pink; Pepper, Sichuan; Pepper, white; Pepperbush, berry; Pepperbush, leaf; Peppercorn, green; Peppertree; Peppertree, Peruvian; Perilla, seed; Phellodendron; Pine, maritime; Poppy, seed; Prickly ash, Chinese; Prickly ash, Southern, bark; Pygeum; Qing hua jiao; Quassia, bark; Quebracho, bark; Quillaja; Quinine; Rauwolfia, bark; Resin spurge; Rue; Saffron crocus; Sandalwood, seed; Sassafras, bark; Sassafras, leaf; Saunders, red; Saw palmetto; Sesame, seed; Silktree, bark; Simaruba, bark; Skunk cabbage, root; Slippery elm; Stemona, root; Suma; Sumac, fragrant; Sumac, smooth, leaf; Taheebo, bark; Tamarind, seed; Tasmanian pepper, berry; Tasmanian pepper, leaf; Threeleaf caper; Tsaoko; Vanilla; Wattleseed; White willow; Willow; Witch hazel; Yaw root; Yellow </p>
--	--	---

		gentian, roots; Yohimbe; Cultivars, varieties, and hybrids of these commodities.
--	--	--